

## Deutsche Akkreditierungsstelle

### Annex to the Accreditation Certificate D-PL-13119-02-01 according to DIN EN ISO/IEC 17025:2018

**Valid from:** 08.09.2025

**Date of issue:** 08.09.2025

**This annex is part of the Accreditation Certificate D-PL-13119-02-00.**

Holder of the Accreditation Certificate:

**IMA Materialforschung und Anwendungstechnik GmbH  
Wilhelmine-Reichard-Ring 4, 01109 Dresden**

with the locations

**IMA Materialforschung und Anwendungstechnik GmbH  
Wilhelmine-Reichard-Ring 4, 01109 Dresden**

**IMA Materialforschung und Anwendungstechnik GmbH  
Am Lagerplatz 4, 01099 Dresden**

The testing laboratory meets the requirements of DIN EN ISO/IEC 17025:2018 to carry out the conformity assessment activities listed in this annex. The testing laboratory meets additional legal and normative requirements, if applicable, including those in relevant sectoral schemes, provided that these are explicitly confirmed below.

The management system requirements of DIN EN ISO/IEC 17025 are written in the language relevant to the operations of testing laboratories and they conform to the principles of DIN EN ISO 9001.

*This annex to the certificate was issued by the Deutsche Akkreditierungsstelle GmbH (DAKkS) and is digitally sealed.  
This annex to the certificate is only valid together with the written accreditation certificate and reflects the status as indicated by the date of issue. The current status of any valid and surveyed accreditation can be found in the directory of accredited bodies maintained by Deutsche Akkreditierungsstelle GmbH ([www.dakks.de](http://www.dakks.de)).*

**Annex to the Accreditation Certificate D-PL-13119-02-01**

Tests in the fields:

tribological, metallographical, spectrometrical and chemical analyses; mechanical strength and functional tests, mechanical vibration and shock tests as well as static and dynamic tests with internal pressure even under temperature loads on specimens, components, structures and complete products; mechanical-technological and physical tests on polymer materials and derived products; mechanical-technological, analytical and physical tests on pipe systems and their components and materials; Environmental simulation tests, mechanical vibration and shock tests and temperature and climate tests on devices, parts and components; Testing the noise behaviour of fittings and devices in water installations

**Flexible Scope of Accreditation:**

Within the indicated test areas the testing laboratory is permitted without being required to prior inform and obtain approval from DAkkS

[Flex A] to use standardised or equivalent test methods listed here with different issue dates.

[Flex B] to have the free choice from standardised or equivalent test methods.

[Flex C] to modify, develop or further develop test methods.

The test methods listed are examples. The testing laboratory has an up-to-date list of all test methods within the flexible scope of accreditation. The list is publicly available on the website of the testing laboratory.

Valid from: 08.09.2025

Date of issue: 08.09.2025

page 2 of 76

This document is a translation. The definitive version is the original German annex to the accreditation certificate.

## Annex to the Accreditation Certificate D-PL-13119-02-01

### Content

|     |   |    |
|-----|---|----|
| 1   | Tribological, metallographical, spectrometrical and chemical analyses and their assessment of samples, components related samples, components, structures and completed manufactures [Flex C] (D1, D2) .....  | 4  |
| 2   | Mechanical strength and functional tests, mechanical vibration and shock tests as well as static and dynamic tests with internal pressure even under temperature loads on specimens, components, structures and complete products [Flex C] (D1, D2) ..... | 8  |
| 3   | Mechanical strength and functional tests on specimens, specimen similar structural elements, components, structures and complete products [Flex C] (D1, D2) .....   | 10 |
| 4   | mechanical-technological and physical tests on polymer materials and derived products (D1, D2) .....  | 17 |
| 4.1 | mechanical-technological and physical tests on polymer materials and derived products [Flex C] .....  | 17 |
| 4.2 | hardness testing, conditioning, viscosity and dilatometry on polymer materials and derived products [Flex B] .....  | 19 |
| 5   | Mechanical-technological, analytical and physical tests on pipe systems and their components and materials [Flex C] (D1, D2) .....  | 35 |
| 6   | Environmental simulation tests, mechanical vibration and shock tests and temperature and climate tests on devices, parts and components [Flex C] (D2) .....   | 70 |
| 7   | Testing the noise behaviour of fittings and devices in water installations [Flex A] (D2) .....  | 75 |
|     | Abbreviations used: .....   | 76 |

**The test methods are marked with the following abbreviations of the locations listed below where they are performed:**

D1 =  
Wilhelmine-Reichard-Ring 4, 01109 Dresden

D2 =  
Am Lagerplatz 4, 01099 Dresden

Valid from: 08.09.2025

Date of issue: 08.09.2025

page 3 of 76

This document is a translation. The definitive version is the original German annex to the accreditation certificate.

**Annex to the Accreditation Certificate D-PL-13119-02-01**

**1 Tribological, metallographical, spectrometrical and chemical analyses and their assessment of samples, components related samples, components, structures and completed manufactures [Flex C] (D1, D2)**

| Test type  | Measurand/test parameter   | Characteristic test methods  |
|--|--|--|
| Abrasive wear  | Wear mass Wm   | DIN 50321<br>ASTM F1978  |
| Surface Topography   | Length, roughness,<br>Linear wear WI                                 | DIN 50321<br>ASTM F1978<br>DIN EN ISO 4287<br>DIN EN ISO 4288  |
| Atomic emission spectroscopy   | Element contents   | DIN EN 14726<br>DIN EN 15079   |
| Materialographic investigations  | Length<br>Phase fraction<br>Morphology                               | ASTM E45<br>ASTM E112<br>ASTM E1077<br>ASTM F2111<br>DIN 50602<br>DIN EN 2003-009<br>DIN EN ISO 643<br>DIN EN ISO 945-1<br>DIN EN ISO 1463 |
| Corrosion loading<br>(Storage, immersion) -<br>without additional<br>mechanical load | Mass<br>Length<br>Temperature  | DIN EN ISO 3651-1<br>DIN EN ISO 3651-2<br>DIN EN ISO 6509-1<br>VW-PV 1113<br>ASTM F2111  |
| Corrosion loading<br>(Storage, immersion) -<br>with additional<br>mechanical load    | Crack length<br>Force<br>Time<br>pH-Value<br>Humidity<br>Temperature | ASTM 5-0013<br>DIN EN ISO 7539-4<br>DIN EN ISO 7539-6  |

**Characteristic test methods (Abrasive wear, Surface finish)**

ASTM F1978  
2018      Standard Test Method for Measuring Abrasion Resistance of Metallic Thermal Spray Coatings by Using the Taber Abraser

ASTM G195  
2021      Standard Guide for Conducting Wear Tests Using a Rotary Platform Abraser

Valid from: 08.09.2025

Date of issue: 08.09.2025

**Annex to the Accreditation Certificate D-PL-13119-02-01**

|                              |   |
|------------------------------|---|
| DIN EN ISO 4287<br>2010-07   | Geometrical Product Specifications (GPS) – Surface texture: Profile method – Terms, definitions and surface texture parameters          |
| DIN EN ISO 4288<br>1998-04   | Geometrical Product Specifications (GPS) – Surface texture: Profile method – Rules and procedures for the assessment of surface texture |
| DIN EN ISO 5470-1<br>2017-04 | Rubber- or plastics-coated fabrics – Determination of abrasion resistance – Part 1: Taber abrader                                       |
| DIN ISO 9352<br>2018-08      | Plastics – Determination of resistance to wear by abrasive wheels   |
| DIN 53754<br>1977-06         | Testing of plastics; determination of abrasion, abrasive disk method  |
| DIN 50321<br>1979-12         | Wear-quantities   |

**Characteristic test methods (Metallographic, Spectrometry)**

|                   |   |
|-------------------|---|
| ASTM B487<br>2020 | Standard Test Method for Measurement of Metal and Oxide Coating Thickness by Microscopical Examination of Cross Section |
| ASTM E3<br>2011   | Standard Guide for Preparation of Metallographic Specimens  |
| ASTM E45<br>2018  | Standard Test Methods for Determining the Inclusion Content of Steel  |
| ASTM E112<br>2013 | Standard Test Methods for Determining Average Grain Size  |
| ASTM E340<br>2015 | Standard Practice for Macroetching Metals and Alloys  |
| ASTM E407<br>2015 | Standard Practice for Microetching Metals and Alloys  |

Valid from: 08.09.2025

Date of issue: 08.09.2025

**page 5 of 76**

**This document is a translation. The definitive version is the original German annex to the accreditation certificate.**

**Annex to the Accreditation Certificate D-PL-13119-02-01**

|                             |  |
|-----------------------------|--|
| ASTM E1077<br>2014          | Standard Test Methods for Estimating the Depth of Decarburization of Steel Specimens   |
| ASTM F 2111<br>2017         | Standard Practice for Measuring Intergranular Attack or End Grain Pitting on Metals Caused by Aircraft Chemical Processes  |
| DIN 30902<br>2016-12        | Heat treatment of ferrous materials – Light-microscopical determination of the depth and porosity of the compound layer of nitrided and nitro-carburized ferrous parts           |
| DIN 50602<br>1985-09        | Metallographic examination; microscopic examination of special steels using standard diagrams to assess the content of non-metallic inclusions                                   |
| DIN EN 14726<br>2019-06     | Aluminium and aluminium alloys – Determination of the chemical composition of aluminium and aluminium alloys by spark optical emission spectrometry;                             |
| DIN EN 15079<br>2015-07     | Copper and copper alloys – Analysis by spark optical emission spectrometry (S-OES)   |
| DIN EN 2003-009<br>2007-07  | Aerospace series – Test methods – Titanium and titanium alloys – Part 009: Determination of surface contamination  |
| DIN EN 3114-001<br>2007-04  | Aerospace series – Test method – Microstructure of ( $\alpha + \beta$ ) titanium alloy wrought products – Part 001: General requirements   |
| DIN EN 3114-002<br>2007-07  | Aerospace series – Test method – Microstructure of ( $\alpha + \beta$ ) titanium alloy wrought products – Part 002: Microstructure of bars, sections, forging stock and forgings |
| DIN EN ISO 1463<br>2021-08  | Metallic and oxide coatings – Measurement of coating thickness – Microscopical method  |
| DIN EN ISO 643<br>2020-06   | Steels – Micrographic determination of the apparent grain size   |
| DIN EN ISO 945-1<br>2019-10 | Microstructure of cast irons – Part 1: Graphite classification by visual analysis  |

Valid from: 08.09.2025

Date of issue: 08.09.2025

**page 6 of 76**

**This document is a translation. The definitive version is the original German annex to the accreditation certificate.**

**Annex to the Accreditation Certificate D-PL-13119-02-01**

DIN EN ISO 18203  
2022-07                      Steel – Determination of the thickness of surface-hardened layers

ÖNORM B 5024-3  
2020-08-01                      Valuation basis for materials in drinking water applications – Part 3:  
Metallic materials

**Characteristic test methods for corrosion tests (Corrosion in the medium)**

ASTM F2111  
2017                      Standard Practice for Measuring Intergranular Attack or End Grain  
Pitting on Metals Caused by Aircraft Chemical Processes

ASTM G47  
2020                      Standard Test Method for Determining Susceptibility to Stress-  
Corrosion Cracking of 2XXX and 7XXX Aluminum Alloy Products

ASTM G66-99  
2018                      Standard Test Method for Visual Assessment of Exfoliation Corrosion  
Susceptibility of 5XXX Series Aluminum Alloys (ASSET Test)

ASTM G67  
2018                      Standard Test Method for Determining the Susceptibility to  
Intergranular Corrosion of 5XXX Series Aluminum Alloys by Mass Loss  
After Exposure to Nitric Acid (NAMLT Test)

DIN EN ISO 3651-1  
1998-08                      Determination of resistance to intergranular corrosion of stainless  
steels – Part 1: Austenitic and ferritic-austenitic (duplex) stainless  
steels – Corrosion test in nitric acid medium by measurement of loss  
in mass (Huey test)

DIN EN ISO 3651-2  
1998-08                      Determination of resistance to intergranular corrosion of stainless  
steels – Part 2: Ferritic, austenitic and ferritic-austenitic (duplex)  
stainless steels – Corrosion test in media containing sulfuric acid

DIN EN ISO 6509-1  
2014-09                      Corrosion of metals and alloys – Determination of dezincification  
resistance of copper alloys with zinc – Part 1: Test method

DIN EN ISO 7539-4  
1995-08                      Corrosion of metals and alloys – Stress corrosion testing – Part 4:  
Preparation and use of uniaxially loaded tension specimens

Valid from:                      08.09.2025

Date of issue:                      08.09.2025

**page 7 of 76**

**This document is a translation. The definitive version is the original German annex to the accreditation certificate.**

**Annex to the Accreditation Certificate D-PL-13119-02-01**

|                              |  |
|------------------------------|--|
| DIN EN ISO 7539-6<br>2018-12 | Corrosion of metals and alloys – Stress corrosion testing – Part 6:<br>Preparation and use of precracked specimens for tests under<br>constant load or constant displacement |
| AITM 5-0013<br>2018-10       | Determination of Susceptibility to Environmentally Assisted Cracking<br>and associated crack propagation of 7XXX Aluminium Alloy Products                                    |
| VW-PV 1113<br>2007-10        | AlMgSi Wrought alloy -Testing of Intercrystalline Corrosion<br>Resistance  |

**2 Mechanical strength and functional tests, mechanical vibration and shock tests as well as static and dynamic tests with internal pressure even under temperature loads on specimens, components, structures and complete products [Flex C] (D1, D2)**

| Test type   | Measurand/test parameter | Characteristic test methods  |
|---|--------------------------|--|
| Single component static and dynamic tests for tensile compressive torsion flexure | Tensile load             | DIN EN 13749<br>UIC 517  |
|   | Compression force        |  |
|   | Torsional moment         |  |
|   | Displacement/Deformation |  |
|   | Angle                    |  |
|   | Elongation               |  |
| Abrupt stress loads (Impact test)   | Energy                   | AITM 1-0010  |
|   | Velocity                 |  |
|   | Load                     |  |
|   | Acceleration             |  |
|   | Mass                     |  |
|   | Drop Height              |  |
| Environmental simulation  | Humidity                 | DIN EN 2823<br>ASTM 5229<br>DIN EN 60068-2-14<br>DIN EN 60068-2-30 |
|   | Temperature              |  |

Valid from: 08.09.2025

Date of issue: 08.09.2025

**page 8 of 76**

**This document is a translation. The definitive version is the original German annex to the accreditation certificate.**



**Annex to the Accreditation Certificate D-PL-13119-02-01**

| Test type   | Measurand/test parameter            | Characteristic test methods                                  |
|---|-------------------------------------|--|
| Internal pressure with/without superimposed mechanical load | Differential pressure               | IMA-PV C/4<br>IMA-PV C/5<br>IMA-PV C/6<br>IMA-PV C/7         |
|   | Tensile / Compression force         |  |
|   | Displacement                        |  |
|   | Elongation                          |  |
| Multiple component static and dynamic tests                 | Load                                | DIN EN 13749   |
|   | Torsion moment                      | DIN EN 12663-1   |
| Stress and strain measurements                              | Displacement                        | TSI_WAG<br>UIC 517<br>IMA-PV C/8<br>AK-LH-14<br>DIN EN 12082 |
|   | Angle                               |  |
|   | Elongation                          |  |
|   | Air speed/Windspeed                 |  |
|   | Revolutions per minute              |  |
|   | Acceleration                        |  |
|   | Temperature                         |  |
| Multi-axial vibration test with servo hydraulics            | Acceleration vibration              | IMA-PV K/1<br>IMA-PV K/2                                     |
|   | Vibration displacement              |  |
|   | Frequency of vibration acceleration |  |
| Hot gas flow  | Temperature                         | IMA-PV K/1   |
|   | Mass flow                           |  |
|   | Humidity                            |  |
| Bursting pressure test                                      | Dynamic pressure                    | DIN EN ISO 19879   |
| Dynamic pressure test                                       | Pressure frequency                  |  |
|   | Vibration                           |  |
| Compression test with simultaneous bending                  | Vibration frequency                 |  |
|   | Dynamic pressure                    |  |

Valid from: 08.09.2025

Date of issue: 08.09.2025

page 9 of 76

This document is a translation. The definitive version is the original German annex to the accreditation certificate.

**Characteristic test methods, belonging to the above-mentioned test types**

|                             |  |
|-----------------------------|--|
| DIN EN 13749<br>2021-05     | Railway applications – Wheelsets and bogies – Method of specifying the structural requirements of bogie frames   |
| DIN EN 12663-1<br>2015-03   | Railway applications – Structural requirements of railway vehicle bodies – Part 1: Locomotives and passenger rolling stock (and alternative method for freight wagons) |
| DIN EN 12082<br>2021-09     | Railway applications – Axleboxes – Performance testing   |
| DIN EN ISO 19879<br>2011-01 | Metallic tube connections for fluid power and general use – Test methods for hydraulic fluid power connections   |

**3 Mechanical strength and functional tests on specimens, specimen similar structural elements, components, structures and complete products [Flex C] (D1, D2)**

| Test type   | Measurand/test parameter | Characteristic test methods   |
|---|--------------------------|---|
| Tensile testing<br>Compressive testing (axial)<br>Bend testing<br>Shear testing             | Load                     | DIN EN 2002-1<br>DIN EN 2002-2<br>DIN 50100<br>DIN ISO 614<br>DIN ISO 4506<br>ASTM E8<br>ASTM E9<br>ASTM E399<br>DIN EN ISO 6892-1<br>DIN EN ISO 6892-2 |
|   | Displacement/Deformation |   |
| Fatigue tests<br>(e.g. rotational bending,<br>alternating bending, tensile-<br>compressive) | Load                     | ASTM E466<br>DIN EN 6072  |
|   | Displacement/Deformation | ISO 12106   |
|   | Torsional moment         | DIN EN ISO 7438<br>DIN EN 2002-6<br>DIN 50100   |
| High dynamic load<br>(Impact or Crash tests)  | Acceleration             | AITM 1-0010   |
|   | Time                     | ASTM E208   |

**Annex to the Accreditation Certificate D-PL-13119-02-01**

| Test type  | Measurand/test parameter  | Characteristic test methods                                 |
|--|---------------------------|---|
| Creep test   | Load                      | DIN EN 2002-05  |
|  | Displacement/Deformation  | ASTM F519<br>DIN EN ISO 204                                 |
| Hardness<br>Brinell (HB)   | Hardness                  | ASTM E10<br>DIN EN ISO 6506-1<br>DIN EN 2002-7              |
| Hardness<br>Rockwell-C (HRC)   | Hardness                  | ASTM E18<br>DIN EN ISO 6508-1<br>DIN EN 2002-7              |
| Hardness<br>Vickers (HV)   | Hardness                  | DIN EN ISO 6507-1<br>ASTM E384<br>ASTM E92<br>DIN EN 2002-7 |
| Hardness<br>Knoop (HK)   | Hardness                  | ASTM E92<br>ASTM E384<br>DIN EN ISO 4545-1                  |
| Hardness<br>(UCI)  | Hardness                  | ASTM A1038<br>DIN 50159-1                                   |
| Notch impact bending test  | Impact Energy             | ISO 148-1<br>ASTM E23<br>DIN 50115                          |
| Cyclic crack grow  | Voltage                   | ASTM E647   |
|  | Displacement/Crack length | DIN EN 3873<br>AITM 1-0042                                  |
| Fracture toughness   | Load                      | ASTM E399   |
|  | Displacement/Crack length | ASTM E561<br>DIN EN ISO 15653<br>AITM 1-0043                |
| Temperature/ environmental<br>effect   | Temperature               | DIN EN 2002-2<br>ASTM G47                                   |
|  | Aqueous solutions         | DIN EN ISO 7539-6   |
| Screw connections:<br>- Security<br>performance<br>- Torque<br>Preload force | Preload force             | DIN 25201-4<br>DIN 65151<br>DIN EN ISO 16047                |
|  | Tightening torque         |   |
|  | Shear Load                |   |
|  | Lateral movement          |   |

Valid from: 08.09.2025

Date of issue: 08.09.2025

page 11 of 76

This document is a translation. The definitive version is the original German annex to the accreditation certificate.

**Annex to the Accreditation Certificate D-PL-13119-02-01**

**Characteristic test methods, belonging to the above-mentioned test types**

|                    |   |
|--------------------|---|
| ASTM A1038<br>2019 | Standard Test Method for Portable Hardness Testing by the Ultrasonic Contact Impedance Method                             |
| ASTM B557<br>2015  | Standard Test Methods for Tension Testing Wrought and Cast Aluminum- and Magnesium-Alloy Products                         |
| ASTM B645<br>2010  | Standard Practice for Linear-Elastic Plane – Strain Fracture Toughness Testing of Aluminum Alloys                         |
| ASTM B769<br>2011  | Standard Test Method for Shear Testing of Aluminum Alloys   |
| ASTM B831<br>2019  | Standard Test Method for Shear Testing of Thin Aluminum Alloy Products  |
| ASTM E10<br>2018   | Standard Test Method for Brinell Hardness of Metallic Materials   |
| ASTM E111<br>2017  | Standard Test Method for Young's Modulus, Tangent Modulus, and Chord Modulus  |
| ASTM E18<br>2020   | Standard Test Methods for Rockwell Hardness of Metallic Materials   |
| ASTM E1820<br>2020 | Standard Test Method for Measurement of Fracture Toughness  |
| ASTM E208<br>2020  | Standard Test Method for Conducting Drop-Weight Test to Determine Nil-Ductility Transition Temperature of Ferritic Steels |
| ASTM E23<br>2018   | Standard Test Methods for Notched Bar Impact Testing of Metallic Materials  |
| ASTM E238<br>2017  | Standard Test Method for Pin-Type Bearing Test of Metallic Materials  |
| ASTM E384<br>2017  | Standard Test Method for Microindentation Hardness of Materials   |

Valid from: 08.09.2025

Date of issue: 08.09.2025

**page 12 of 76**

**This document is a translation. The definitive version is the original German annex to the accreditation certificate.**

**Annex to the Accreditation Certificate D-PL-13119-02-01**

|                        |   |
|------------------------|---|
| ASTM E399<br>2020      | Standard Test Method for Linear-Elastic Plane-Strain Fracture Toughness of Metallic Materials   |
| ASTM E466<br>2021      | Standard Practice for Conducting Force Controlled Constant Amplitude Axial Fatigue Tests of Metallic Materials                              |
| ASTM E561<br>2020      | Standard Test Method for KR Curve Determination   |
| ASTM E647<br>2015      | Standard Test Method for Measurement of Fatigue Crack Growth Rates  |
| ASTM E8<br>2021        | Standard Test Methods for Tension Testing of Metallic Materials   |
| ASTM E9<br>2019        | Standard Test Methods of Compression Testing of Metallic Materials at Room Temperature  |
| ASTM E92<br>2017       | Standard Test Methods for Vickers Hardness and Knoop Hardness of Metallic Materials   |
| ASTM F519<br>2018      | Standard Test Method for Mechanical Hydrogen Embrittlement Evaluation of Plating/Coating Processes and Service Environments                 |
| DIN 25201-4<br>2004-06 | Design guide for railway vehicles and their components – Bolted joints – Part 4: Securing of bolted joints                                  |
| DIN 50100<br>2016-12   | Load controlled fatigue testing – Execution and evaluation of cyclic tests at constant load amplitudes on metallic specimens and components |
| DIN 50106<br>2016-11   | Testing of metallic materials – Compression test at room temperature  |
| DIN 50113<br>2018-12   | Testing of metallic materials – Rotating bar bending fatigue test   |

Valid from: 08.09.2025

Date of issue: 08.09.2025

**page 13 of 76**

**This document is a translation. The definitive version is the original German annex to the accreditation certificate.**

**Annex to the Accreditation Certificate D-PL-13119-02-01**

|                            |  |
|----------------------------|--|
| DIN 50159-1<br>2015-01     | Metallic materials – Hardness testing with the UCI method – Part 1:<br>Test method   |
| DIN 50190-3<br>1979-03     | Hardness depth of heat-treated parts; determination of the effective<br>depth of hardening after nitriding                                       |
| DIN 65151<br>2002-08       | Aerospace series – Dynamic testing of the locking characteristics of<br>fasteners under transverse loading conditions (vibration test)           |
| DIN EN 10328<br>2005-04    | Iron and steel – Determination of the conventional depth of<br>hardening after surface heating   |
| DIN EN 16843<br>2019-12    | Railway applications – Infrastructure – Mechanical requirements for<br>joints in running rails   |
| DIN EN 2002-001<br>2006-11 | Aerospace series - Metallic materials – Test methods – Part 1: Tensile<br>testing at ambient temperature   |
| DIN EN 2002-002<br>2006-11 | Aerospace series – Metallic materials – Test methods – Part 2: Tensile<br>testing at elevated temperature  |
| DIN EN 2002-005<br>2008-09 | Aerospace series – Test methods for metallic materials – Part 005:<br>Uninterrupted creep and stress-rupture testing                             |
| DIN EN 2002-7<br>1999-05   | Aerospace series – Metallic materials; test methods – Part 7:<br>Hardness test   |
| DIN EN 3873<br>2011-11     | Aerospace series – Test methods for metallic materials –<br>Determination of fatigue crack growth rates using Corner-Cracked<br>(CC) test pieces |
| DIN EN 6072<br>2011-06     | Aerospace series – Metallic materials – Test methods – Constant<br>amplitude fatigue testing   |
| DIN EN ISO 1463<br>2004-08 | Metallic and oxide coatings – Measurement of coating thickness –<br>Microscopical method   |

Valid from: 08.09.2025

Date of issue: 08.09.2025

**page 14 of 76**

**This document is a translation. The definitive version is the original German annex to the accreditation certificate.**

**Annex to the Accreditation Certificate D-PL-13119-02-01**

|                              |  |
|------------------------------|--|
| DIN EN ISO 15653<br>2018-06  | Metallic materials – Method of test for the determination of quasistatic fracture toughness of welds |
| DIN EN ISO 16047<br>2013-01  | Fasteners – Torque/clamp force testing   |
| DIN EN ISO 204<br>2019-04    | Metallic materials – Uniaxial creep testing in tension – Method of test                              |
| DIN EN ISO 2639<br>2003-04   | Steels – Determination and verification of the depth of carburized and hardened cases                |
| DIN EN ISO 4516<br>2002-10   | Metallic and other inorganic coatings – Vickers and Knoop microhardness tests                        |
| DIN EN ISO 4545-1<br>2019-09 | Metallic materials – Knoop hardness test – Part 1: Test method                                       |
| DIN EN ISO 6506-1<br>2015-02 | Metallic materials – Brinell hardness test – Part 1: Test method                                     |
| DIN EN ISO 6507-1<br>2018-07 | Metallic materials – Vickers hardness test – Part 1: Test method                                     |
| DIN EN ISO 6508-1<br>2016-12 | Metallic materials – Rockwell hardness test – Part 1: Test method                                    |
| DIN EN ISO 6892-1<br>2020-06 | Metallic materials – Tensile testing – Part 1: Method of test at room temperature                    |
| DIN EN ISO 6892-2<br>2018-09 | Metallic materials – Tensile testing – Part 2: Method of test at elevated temperature                |
| DIN EN ISO 6892-3<br>2015-07 | Metallic materials – Tensile testing – Part 3: Method of test at low temperature                     |
| DIN EN ISO 7438<br>2021-03   | Metallic materials – Bend test   |

Valid from: 08.09.2025

Date of issue: 08.09.2025

**page 15 of 76**

**This document is a translation. The definitive version is the original German annex to the accreditation certificate.**

**Annex to the Accreditation Certificate D-PL-13119-02-01**

|                              |  |
|------------------------------|--|
| DIN EN ISO 7539-6<br>2018-12 | Corrosion of metals and alloys – Stress corrosion testing – Part 6: Preparation and use of precracked specimens for tests under constant load or constant displacement |
| DIN EN ISO 9015-2<br>2016-10 | Destructive tests on welds in metallic materials – Hardness testing – Part 2: Microhardness testing of welded joints   |
| DIN ISO 4506<br>2018-07      | Hardmetals – Compression test  |
| DIN ISO 5832-1<br>2019-12    | Implants for surgery – Metallic materials – Part 1: Wrought stainless steel  |
| DIN ISO 614<br>2015-12       | Ships and marine technology – Toughened safety glass panes for rectangular windows and side scuttles – Punch method of non-destructive strength testing                |
| DIN EN 13981-1<br>2003-11    | Aluminium and aluminium alloys – Products for structural railway applications; Technical conditions for inspection and delivery – Part 1: Extruded products            |
| ISO 1099<br>2017-06          | Metallic materials – Fatigue testing – Axial force-controlled method   |
| ISO 12106<br>2017-03         | Metallic materials – Fatigue testing – Axial-strain-controlled method  |
| ISO 12107<br>2012-08         | Metallic materials – Fatigue testing – Statistical planning and analysis of data   |
| ISO 12108<br>2018-07         | Metallic materials – Fatigue testing – Fatigue crack growth method   |
| ISO 148-1<br>2016-10         | Metallic materials – Charpy pendulum impact test – Part 1: Test method   |
| ISO 18203<br>2016-12         | Steel – Determination of the thickness of surface-hardened layers  |

Valid from: 08.09.2025

Date of issue: 08.09.2025

**page 16 of 76**

**This document is a translation. The definitive version is the original German annex to the accreditation certificate.**



**Annex to the Accreditation Certificate D-PL-13119-02-01**

|                        |   |
|------------------------|---|
| NASM 1312-4<br>2018-11 | Fastener Test Methods – Method 4: Lap Joint Shear   |
| NASM 1312-8<br>2011-08 | Fastener Test Methods – Method 8: Tensile Strength  |
| AITM 1-0042<br>2001-06 | Determination of Fatigue Crack Growth Rates for Aluminium Clad Sheet and Clad Plate up to 12 mm in Constant-Load-Amplitude Test – K – Increasing Method |
| AITM 1-0043<br>2001-06 | Determination of Crack Resistance Curve (R-Curve) for Aluminium Clad Sheet and Clad Plate up to 12 mm for M(T) Specimens                                |

**4 mechanical-technological and physical tests on polymer materials and derived products (D1, D2)**
**4.1 mechanical-technological and physical tests on polymer materials and derived products [Flex C]**

| Test type  | Measurand/test parameter | Characteristic test methods                               |
|--|--------------------------|---|
| Tensile<br>Bend<br>Compressive<br>Shear<br><br>for static, quasi-static and dynamic loading sequence | Load                     | DIN EN ISO 527-1...5                                      |
|  | Deformation              | DIN EN ISO 178<br>DIN EN ISO 14125                        |
|  | Expansion (DMS)          | DIN EN ISO 604<br>DIN EN ISO 14126                        |
|  | Temperature              | DIN EN ISO 14129<br>DIN EN ISO 14130<br>ASTM D7078/D7078M |
|  | Time                     | ASTM D3479  |
| Peeling test   | Load                     | DIN EN 2243-3   |
|  | Deformation              | DIN EN ISO 11339  |
| Energy release rate  | Load                     | ISO 15024   |
|  | Crack growth             | ASTM D5528<br>AITM 1-0005                                 |
| Long term tensile test<br>Long term flexural test  | Load                     | DIN EN ISO 899-1<br>DIN EN ISO 899-2                      |
|  | Deformation              |   |
|  | Time                     |   |
|  | Temperature              |   |

Valid from: 08.09.2025

Date of issue: 08.09.2025

page 17 of 76

This document is a translation. The definitive version is the original German annex to the accreditation certificate.

**Annex to the Accreditation Certificate D-PL-13119-02-01**

| Test type   | Measurand/test parameter                                 | Characteristic test methods   |
|---|--|---|
| Conditioning<br>Water absorption<br>Aging<br>Warm storage | Mass   | DIN EN ISO 62   |
|   | Temperature  | DIN EN 2378   |
|   | Time   | ASTM D5229/D5229M   |
|   | Humidity   | E DIN EN 3615<br>DIN EN ISO 1110<br>DIN EN ISO 175                            |
| Density determination                                     | Mass   | DIN EN ISO 1183-1<br>DIN EN ISO 845   |
| Fibre content, filler content                             | Mass-based on calcination method /<br>wet mixing washing | DIN EN ISO 1172<br>DIN EN 2564  |
| Screw removal test<br>Bolt load capacity                  | Load   | DIN EN 14509  |
|   | Deformation  | AITM 1-0009<br>AITM 1-0065  |
| DMA   | Temperature  | DIN EN ISO 6721   |
|   | Deformation  | AITM 1-0003<br>ASTM D7028   |
| DSC, OIT  | Temperature  | DIN EN ISO 11357-2<br>DIN EN ISO 11357-3<br>DIN EN ISO 11357-6<br>AITM 3-0002 |
| Impact test   | Energy   | AITM 1-0010<br>ISO 18352  |
|   | Penetration depth  |   |
|   | Drop height  |   |

Valid from: 08.09.2025

Date of issue: 08.09.2025

page 18 of 76

This document is a translation. The definitive version is the original German annex to the accreditation certificate.

**Annex to the Accreditation Certificate D-PL-13119-02-01**
**4.2 hardness testing, conditioning, viscosity and dilatometry on polymer materials and derived products [Flex B]**

| Test type                        | Measurand/test parameter | Characteristic test methods                                  |
|----------------------------------|--------------------------|--|
| Hardness Barcol                  | Hardness                 | DIN EN 59  |
| Hardness Shore                   | Hardness                 | DIN EN ISO 868   |
| Viscosity                        | Torsion moment           | DIN 53019-1<br>DIN 53019-2<br>DIN 53019-3<br>DIN EN ISO 2555 |
| Conditioning<br>Standard climate | Temperature              | DIN EN ISO 291   |
|                                  | Humidity                 | DIN EN 2743  |
| Dilatometrie                     | Deformation              | ISO 11359-2<br>ASTM E831                                     |

**Characteristic test methods, belonging to the above-mentioned test types**

|                                  |  |
|----------------------------------|--|
| ASD-STAN prEN 6060<br>1995-12    | Fibre reinforced plastics – Test method – Determination of the tensile single lap shear strength                       |
| ASD-STAN prEN 6066 P1<br>1995-11 | Fibre reinforced plastics – Test method – Determination of tensile strength of a tapered and stepped joints            |
| ASD-STAN prEN 3615<br>1998-11-30 | Fibre reinforced plastics – Determination of the conditions of exposure to humid atmosphere and of moisture absorption |
| ASTM C271<br>2016                | Standard Test Method for Density of Sandwich Core Materials  |
| ASTM C273/C273M<br>2020          | Standard Test Method for Shear Properties of Sandwich Core Materials   |
| ASTM C297/C297M<br>2016          | Standard Test Method for Flatwise Tensile Strength of Sandwich Constructions   |
| ASTM C364<br>2016                | Standard Test Method for Edgewise Compressive Strength of Sandwich Constructions                                       |

Valid from: 08.09.2025

Date of issue: 08.09.2025

**page 19 of 76**

This document is a translation. The definitive version is the original German annex to the accreditation certificate.

**Annex to the Accreditation Certificate D-PL-13119-02-01**

|                           |  |
|---------------------------|--|
| ASTM C365<br>2016         | Standard Test Method for Flatwise Compressive Properties of Sandwich Cores   |
| ASTM C393/C393M<br>2011   | Standard Test Method for Core Shear Properties of Sandwich Constructions by Beam Flexure                           |
| ASTM D1621<br>2016        | Standard Test Method for Compressive Properties of Rigid Cellular Plastics   |
| ASTM D1623<br>2017        | Standard Test Method for Tensile and Tensile Adhesion Properties of Rigid Cellular Plastics                        |
| ASTM D1781<br>2012        | Standard Test Method for Climbing Drum Peel for Adhesives  |
| ASTM D2240<br>2015        | Standard Test Method for Rubber Property-Durometer Hardness  |
| ASTM D2343<br>2017        | Standard Test Method for Tensile Properties of Glass Fiber Strands, Yarns, and Rovings Used in Reinforced Plastics |
| ASTM D2344<br>2016        | Standard Test Method for Short-Beam Strength of Polymer Matrix Composite Materials and Their Laminates             |
| ASTM D2583<br>2013        | Standard Test Method for Indentation Hardness of Rigid Plastics by Means of a Barcol Impressor                     |
| ASTM D2584<br>2018        | Standard Test Method for Ignition Loss of Cured Reinforced Resins  |
| ASTM D2734<br>2016        | Standard Test Methods for Void Content of Reinforced Plastics  |
| ASTM D2990-09<br>2017     | Standard Test Methods for Tensile, Compressive, and Flexural Creep and Creep-Rupture of Plastics                   |
| ASTM D3039/D3039M<br>2017 | Standard Test Method for Tensile Properties of Polymer Matrix Composite Materials                                  |

Valid from: 08.09.2025

Date of issue: 08.09.2025

**page 20 of 76**

**This document is a translation. The definitive version is the original German annex to the accreditation certificate.**

**Annex to the Accreditation Certificate D-PL-13119-02-01**

|                           |  |
|---------------------------|--|
| ASTM D3167<br>2010        | Standard Test Method for Floating Roller Peel Resistance of Adhesives  |
| ASTM D3171<br>2015        | Standard Test Methods for Constituent Content of Composite Materials   |
| ASTM D 3410<br>2016       | Standard Test Method for Compressive Properties of Polymer Matrix Composite Materials with Unsupported Gage Section by Shear Loading |
| ASTM D3479<br>2019        | Standard Test Method for Tension-Tension Fatigue of Polymer Matrix Composite Materials   |
| ASTM D3528<br>2016        | Standard Test Method for Strength Properties of Double Lap Shear Adhesive Joints by Tension Loading                                  |
| ASTM D3529<br>2016        | Standard Test Method for Matrix Solids Content and Matrix Content of Composite Prepreg   |
| ASTM D3846<br>2008        | Standard Test Method for In-Plane Shear Strength of Reinforced Plastics  |
| ASTM D5026<br>2015        | Standard Test Method for Plastics: Dynamic Mechanical Properties: In Tension   |
| ASTM D5528<br>2013        | Standard Test Method for Mode I Interlaminar Fracture Toughness of Unidirectional Fiber-Reinforced Polymer Matrix Composites         |
| ASTM D5229/D5229M<br>2020 | Standard Test Method for Moisture Absorption Properties and Equilibrium Conditioning of Polymer Matrix Composite Materials           |
| ASTM D5687<br>2020        | Standard Guide for Preparation of Flat Composite Panels with Processing Guidelines for Specimen Preparation                          |
| ASTM D570<br>2018         | Standard Test Method for Water Absorption of Plastics  |
| ASTM D5766<br>2011        | Standard Test Method for Open-Hole Tensile Strength of Polymer Matrix Composite Laminates  |

Valid from: 08.09.2025

Date of issue: 08.09.2025

**page 21 of 76**

**This document is a translation. The definitive version is the original German annex to the accreditation certificate.**

**Annex to the Accreditation Certificate D-PL-13119-02-01**

|                           |  |
|---------------------------|--|
| ASTM D5947<br>2018        | Physical Dimensions of Solid Plastic Specimens   |
| ASTM D618<br>2013         | Standard Practice for Conditioning Plastics for Testing  |
| ASTM D6272<br>2017        | Standard Test Method for Flexural Properties of Unreinforced and Reinforced Plastics and Electrical Insulating Materials by Four-Point Bending |
| ASTM D638<br>2014         | Standard Test Method for Tensile Properties of Plastics  |
| ASTM D6484<br>2020        | Standard Test Method for Open-Hole Compressive Strength of Polymer Matrix Composite Laminates  |
| ASTM D6641<br>2016        | Standard Test Method for Compressive Properties of Polymer Matrix Composite Materials Using a Combined Loading Compression (CLC) Test Fixture  |
| ASTM D695<br>2015         | Standard Test Method for Compressive Properties of Rigid Plastics  |
| ASTM D7028<br>2015        | Standard Test Method for Glass Transition Temperature (DMA Tg) of Polymer Matrix Composites by Dynamic Mechanical Analysis (DMA)               |
| ASTM D7078/D7078M<br>2020 | Standard Test Method for Shear Properties of Composite Materials by V-Notched Rail Shear Method  |
| ASTM D7136<br>2020        | Standard Test Method for Measuring the Damage Resistance of a Fiber-Reinforced Polymer Matrix Composite to a Drop-Weight Impact Event          |
| ASTM D7137<br>2017        | Standard Test Method for Compressive Residual Strength Properties of Damaged Polymer Matrix Composite Plates                                   |
| ASTM D7264/D7264M<br>2021 | Standard Test Method for Flexural Properties of Polymer Matrix Composite Materials   |

Valid from: 08.09.2025

Date of issue: 08.09.2025

**page 22 of 76**

**This document is a translation. The definitive version is the original German annex to the accreditation certificate.**

**Annex to the Accreditation Certificate D-PL-13119-02-01**

|                           |   |
|---------------------------|---|
| ASTM D790<br>2017         | Standard Test Methods for Flexural Properties of Unreinforced and Reinforced Plastics and Electrical Insulating Materials   |
| ASTM D7905<br>2019        | Standard Test Method for Determination of the Mode II Interlaminar Fracture Toughness of Unidirectional Fiber-Reinforced Polymer Matrix Composites                                  |
| ASTM D792<br>2020         | Standard Test Methods for Density and Specific Gravity (Relative Density) of Plastics by Displacement   |
| ASTM E1356<br>2008 (2014) | Standard Test Method for Assignment of the Glass Transition Temperatures by Differential Scanning Calorimetry   |
| ASTM E 1640<br>2018       | Standard Test Method for Assignment of the Glass Transition Temperature By Dynamic Mechanical Analysis  |
| ASTM E2004<br>2018        | Standard Test Method for Facing Cleavage of Sandwich Panels   |
| ASTM E831<br>2019         | Standard Test Method for Linear Thermal Expansion of Solid Materials by Thermomechanical Analysis   |
| DIN 16495<br>1989-03      | Packaging – Transport packaging for dangerous goods – Test methods  |
| DIN 18807-9<br>1998-06    | Trapezoidal sheeting in buildings – Part 9: Aluminium trapezoidal sheeting and their connections; application and construction  |
| DIN 53019-1<br>2008-09    | Viscometry – Measurement of viscosities and flow curves by means of rotational viscometers – Part 1: Principles and measuring geometry  |
| DIN 53019-2<br>2001-02    | Viscosimetry – Measurement of viscosities and flow curves by means of rotation viscosimeters – Part 2: Viscosimeter calibration and determination of the uncertainty of measurement |
| DIN 53019-3<br>2008-09    | Viscometry – Measurement of viscosities and flow curves by means of rotational viscometers – Part 3: Errors of measurement and corrections  |

Valid from: 08.09.2025

Date of issue: 08.09.2025

**page 23 of 76**

**This document is a translation. The definitive version is the original German annex to the accreditation certificate.**

**Annex to the Accreditation Certificate D-PL-13119-02-01**

|                      |   |
|----------------------|---|
| DIN 53255<br>2017-08 | Testing of wood adhesives and glued wood joints – Mechanical delamination tests by grooving and chopping                                  |
| DIN 53292<br>1982-02 | Testing of sandwiches; Tensile test perpendicular to the faces  |
| DIN 53293<br>1982-02 | Testing of sandwiches; Bending test   |
| DIN 53294<br>1982-02 | Testing of sandwiches; Shear test   |
| DIN 53295<br>1982-02 | Testing of sandwiches; Peel test by means of a drum   |
| DIN 53398<br>1975-09 | Testing of textile glass reinforced plastics; bending pulsating test  |
| DIN 53752<br>1980-12 | Testing of plastics; determination of the coefficient of linear thermal expansion   |
| DIN 65148<br>1986-11 | Aerospace; testing of fibre-reinforced plastics; determination of interlaminar shear strength by tensile test                             |
| DIN 65375<br>1989-11 | Aerospace; fiber reinforced plastics; testing of unidirectional laminates; compression test transverse to fiber direction                 |
| DIN 65382<br>1988-12 | Aerospace; reinforcement fibres for plastics; tensile test of impregnated yarn test specimens   |
| DIN 65466<br>1996-11 | Aerospace – Fibre reinforced plastics – Testing of unidirectional laminates; Determination of shear strength and shear modulus in tension |
| DIN 65383<br>1997-10 | Aerospace – Thermosetting epoxy woven glass filament fabric preimpregnated for structural applications – Technical specification          |

Valid from: 08.09.2025

Date of issue: 08.09.2025

**page 24 of 76**

**This document is a translation. The definitive version is the original German annex to the accreditation certificate.**



**Annex to the Accreditation Certificate D-PL-13119-02-01**

|                           |   |
|---------------------------|---|
| DIN 65562<br>1991-05      | Aerospace; fibre reinforced plastics; testing of multidirectional laminates; determination of bearing strength  |
| DIN EN 1090-4<br>2020-06  | Execution of steel structures and aluminium structures – Part 4: Technical requirements for cold-formed structural steel elements and cold-formed structures for roof, ceiling, floor and wall applications     |
| DIN EN 1090-5<br>2020-06  | Execution of steel structures and aluminium structures – Part 5: Technical requirements for cold-formed structural aluminium elements and cold-formed structures for roof, ceiling, floor and wall applications |
| DIN EN 13706-1<br>2003-02 | Reinforced plastic composites – Specification for pultruded profiles – Part 1: Designation  |
| DIN EN 13706-2<br>2003-02 | Reinforced plastic composites – Specifications for pultruded profiles – Part 2: Methods of test and general requirements  |
| DIN EN 13706-3<br>2003-02 | Reinforced plastic composites – Specifications for pultruded profiles – Part 3: Specific requirements   |
| DIN EN 14509<br>2013-12   | Self-supporting double skin metal faced insulating panels – Factory made products – Specifications  |
| DIN EN 1464<br>2010-06    | Adhesives – Determination of peel resistance of adhesive bonds – Floating roller method   |
| DIN EN 1465<br>2009-07    | Adhesives – Determination of tensile lap-shear strength of bonded assemblies  |
| DIN EN 1607<br>2013-05    | Thermal insulating products for building applications – Determination of tensile strength perpendicular to faces  |
| DIN EN 1602<br>2013-05    | Thermal insulating products for building applications - Determination of the apparent density   |

Valid from: 08.09.2025

Date of issue: 08.09.2025

**page 25 of 76**

**This document is a translation. The definitive version is the original German annex to the accreditation certificate.**

**Annex to the Accreditation Certificate D-PL-13119-02-01**

|                          |  |
|--------------------------|--|
| DIN EN 2243-1<br>2007-04 | Aerospace series – Non-metallic materials – Structural adhesives –<br>Test method – Part 1: Single lap shear   |
| DIN EN 2243-2<br>2006-10 | Aerospace series – Non-metallic materials – Structural adhesives –<br>Test method – Part 2: Peel metal-metal   |
| DIN EN 2243-3<br>2006-10 | Aerospace series – Non-metallic materials – Structural adhesives –<br>Test method – Part 3: Peeling test metal-honeycomb core  |
| DIN EN 2243-4<br>2006-10 | Aerospace series – Non-metallic materials – Structural adhesives –<br>Test method – Part 4: Metal-honeycomb core flatwise tensile test                                     |
| DIN EN 2330<br>1993-04   | Aerospace series; textile glass fibre preimpregnates; test method for<br>the determination of the content of volatile matter   |
| DIN EN 2332<br>1993-04   | Aerospace series; textile glass fibre preimpregnates; test method for<br>the determination of the resin flow   |
| DIN EN 2377<br>1989-10   | Aerospace series; glass fibre reinforced plastics; test method;<br>determination of apparent interlaminar shear strength   |
| DIN EN 2378<br>1995-11   | Aerospace series – Fibre reinforced plastics – Determination of water<br>absorption by immersion   |
| DIN EN 2555<br>2018-09   | Plastics – Resins in the liquid state or as emulsions or dispersions –<br>Determination of apparent viscosity using a single cylinder type<br>rotational viscometer method |
| DIN EN 2557<br>1997-05   | Aerospace series – Carbon fibre preimpregnates – Determination of<br>mass per unit area  |
| DIN EN 2558<br>1997-05   | Aerospace series – Carbon fibre preimpregnates – Determination of<br>the volatile content  |
| DIN EN 2559<br>1997-05   | Aerospace series – Carbon fibre preimpregnates – Determination of<br>the resin and fibre content and the mass of fibre per unit area                                       |

Valid from: 08.09.2025

Date of issue: 08.09.2025

**page 26 of 76**

**This document is a translation. The definitive version is the original German annex to the accreditation certificate.**

**Annex to the Accreditation Certificate D-PL-13119-02-01**

|                              |   |
|------------------------------|---|
| DIN EN 2560<br>1998-08       | Aerospace series – Carbon fibre preimpregnates – Determination of the resin flow  |
| DIN EN 2561<br>1995-11       | Aerospace series – Carbon fibre reinforced plastics - Unidirectional laminates – Tensile test parallel to the fibre direction                         |
| DIN EN 2562<br>1997-05       | Aerospace series – Carbon fibre reinforced plastics – Unidirectional laminates; flexural test parallel to the fibre direction                         |
| DIN EN 2563<br>1997-03       | Aerospace series – Carbon fibre reinforced plastics – Unidirectional laminates; determination of apparent interlaminar shear strength                 |
| DIN EN 2564<br>2019-08       | Aerospace series – Carbon fibre laminates – Determination of the fibre, resin and void contents   |
| DIN EN 2597<br>1998-08       | Aerospace series – Carbon fibre reinforced plastics; unidirectional laminates – Tensile test perpendicular to the fibre direction                     |
| DIN EN 2743<br>2003-06       | Aerospace series – Fibre reinforced plastics – Standard procedures for conditioning prior to testing unaged materials                                 |
| DIN EN 2823<br>2017-07       | Aerospace series – Fibre reinforced plastics – Determination of the effect of exposure to humid atmosphere on physical and mechanical characteristics |
| DIN EN 2850<br>2018-01       | Aerospace series – Carbon fibre thermosetting resin – Unidirectional laminates – Compression test parallel to fibre direction                         |
| DIN EN 59<br>1977-11         | Glass Reinforced Plastics; Measurement of Hardness by Means of a Barcol Impressor   |
| DIN EN 60068-2-14<br>2010-04 | Environmental testing – Part 2-14: Tests – Test N: Change of temperature  |
| DIN EN 6031<br>2016-02       | Aerospace series – Fibre reinforced plastics – Test method – Determination of in-plane shear properties ( $\pm 45^\circ$ tensile test)                |

Valid from: 08.09.2025

Date of issue: 08.09.2025

**page 27 of 76**

**This document is a translation. The definitive version is the original German annex to the accreditation certificate.**

**Annex to the Accreditation Certificate D-PL-13119-02-01**

|                             |  |
|-----------------------------|--|
| DIN EN 6032<br>2016-02      | Aerospace series – Fibre reinforced plastics – Test method –<br>Determination of the glass transition temperatures   |
| DIN EN 6033<br>2016-02      | Aerospace series – Carbon fibre reinforced plastics – Test method –<br>Determination of interlaminar fracture toughness energy – Mode I –<br>GIC           |
| DIN EN 6034<br>2016-02      | Aerospace series – Carbon fibre reinforced plastics – Test method –<br>Determination of interlaminar fracture toughness energy – Mode II –<br>G[IIC]       |
| DIN EN 6035<br>2016-02      | Aerospace series – Fibre reinforced plastics – Test method –<br>Determination of notched and unnotched tensile strength                                    |
| DIN EN 6036<br>2016-02      | Aerospace series – Fibre reinforced plastics – Test method –<br>Determination of notched, unnotched and filled hole compression<br>strength                |
| DIN EN 6037<br>2016-02      | Aerospace series – Fibre reinforced plastics – Test method –<br>Determination of bearing strength  |
| DIN EN 6038<br>2016-02      | Aerospace series – Fibre reinforced plastics – Test method –<br>Determination of the compression strength after impact                                     |
| DIN EN 6041<br>2018-03      | Aerospace series – Non-metallic materials – Test method – Analysis<br>of non-metallic materials (uncured) by Differential Scanning<br>Calorimetry (DSC)    |
| DIN EN 6064<br>2018-03      | Aerospace series – Analysis of non-metallic materials (cured) for the<br>determination of the extent of cure by Differential Scanning<br>Calorimetry (DSC) |
| DIN EN 826<br>2013-05       | Thermal insulating products for building applications – Determination<br>of compression behaviour  |
| DIN EN ISO 10618<br>2004-11 | Carbon fibre – Determination of tensile properties of resin-<br>impregnated yarn   |
| DIN EN ISO 1110<br>2019-09  | Plastics – Polyamides – Accelerated conditioning of test specimens   |

Valid from: 08.09.2025

Date of issue: 08.09.2025

**page 28 of 76**

**This document is a translation. The definitive version is the original German annex to the accreditation certificate.**

**Annex to the Accreditation Certificate D-PL-13119-02-01**

|                               |  |
|-------------------------------|--|
| DIN EN ISO 11339<br>2010-06   | Adhesives – T-peel test for flexible-to-flexible bonded assemblies   |
| DIN EN ISO 11357-1<br>2017-02 | Plastics – Differential scanning calorimetry (DSC) – Part 1: General principles  |
| DIN EN ISO 11357-2<br>2020-08 | Plastics – Differential scanning calorimetry (DSC) – Part 2: Determination of glass transition temperature and step height   |
| DIN EN ISO 11357-3<br>2018-07 | Plastics – Differential scanning calorimetry (DSC) – Part 3: Determination of temperature and enthalpy of melting and crystallization  |
| DIN EN ISO 11357-5<br>2014-07 | Plastics – Differential scanning calorimetry (DSC) – Part 5: Determination of characteristic reaction-curve temperatures and times, enthalpy of reaction and degree of conversion                |
| DIN EN ISO 11357-6<br>2018-07 | Plastics – Differential scanning calorimetry (DSC) – Part 6: Determination of oxidation induction time (isothermal OIT) and oxidation induction temperature (dynamic OIT)                        |
| DIN EN ISO 1172<br>1998-12    | Textile-glass-reinforced plastics – Prepregs, moulding compounds and laminates – Determination of the textile-glass and mineral-filler content; calcination methods                              |
| DIN EN ISO 1183-1<br>2019-09  | Plastics – Methods for determining the density of non-cellular plastics – Part 1: Immersion method, liquid pycnometer method and titration method  |
| DIN EN ISO 14125<br>2011-05   | Fibre-reinforced plastic composites – Determination of flexural properties   |
| DIN EN ISO 14126<br>2000-12   | Fibre-reinforced plastic composites – Determination of compressive properties in the in-plane direction  |
| DIN EN ISO 14129<br>1998-02   | Fibre-reinforced plastic composites – Determination of the in-plane shear stress/shear strain response, including the in-plane shear modulus and strength, by $\pm 45^\circ$ tension test method |

Valid from: 08.09.2025

Date of issue: 08.09.2025

**page 29 of 76**

**This document is a translation. The definitive version is the original German annex to the accreditation certificate.**

**Annex to the Accreditation Certificate D-PL-13119-02-01**

|                             |  |
|-----------------------------|--|
| DIN EN ISO 14130<br>1998-02 | Fibre reinforced plastic composites – Determination of apparent interlaminar shear strength by short beam-method |
| DIN EN ISO 1675<br>1998-10  | Plastics – Liquid resins – Determination of density by the pyknometer method                                     |
| DIN EN ISO 175<br>2011-03   | Plastics – Methods of test for the determination of the effects of immersion in liquid chemicals                 |
| DIN EN ISO 178<br>2019-08   | Plastics – Determination of flexural properties  |
| DIN EN ISO 1889<br>2009-10  | Reinforcement yarns – Determination of linear density  |
| DIN EN ISO 1923<br>1995-06  | Cellular plastics and rubbers – Determination of linear dimensions   |
| DIN EN ISO 2578<br>1998-10  | Plastics – Determination of time-temperature limits after prolonged exposure to heat                             |
| DIN EN ISO 2818<br>2019-04  | Plastics – Preparation of test specimens by machining  |
| DIN EN ISO 291<br>2008-08   | Plastics – Standard atmospheres for conditioning and testing   |
| DIN EN ISO 3521<br>1999-10  | Plastics – Unsaturated polyester and epoxy resins – Determination of overall volume shrinkage                    |
| DIN EN ISO 527-1<br>2019-12 | Plastics – Determination of tensile properties – Part 1: General principles                                      |
| DIN EN ISO 527-2<br>2012-6  | Plastics – Determination of tensile properties – Part 2: Test conditions for moulding and extrusion plastics     |
| DIN EN ISO 527-3<br>2019-02 | Plastics – Determination of tensile properties – Part 3: Test conditions for films and sheets                    |

Valid from: 08.09.2025

Date of issue: 08.09.2025

**page 30 of 76**

**This document is a translation. The definitive version is the original German annex to the accreditation certificate.**

**Annex to the Accreditation Certificate D-PL-13119-02-01**

|                              |  |
|------------------------------|--|
| DIN EN ISO 527-4<br>1997-07  | Plastics – Determination of tensile properties – Part 4: Test conditions for isotropic and anisotropic fibre-reinforced plastic composites |
| DIN EN ISO 527-5<br>2010-01  | Plastics – Determination of tensile properties – Part 5: Test conditions for unidirectional fibre-reinforced plastic composites            |
| DIN EN ISO 604<br>2003-12    | Plastics – Determination of compressive properties   |
| DIN EN ISO 62<br>2008-05     | Plastics – Determination of water absorption   |
| DIN EN ISO 6721-1<br>2019-09 | Plastics – Determination of dynamic mechanical properties – Part 1: General principles   |
| DIN EN ISO 844<br>2014-11    | Rigid cellular plastics – Determination of compression properties  |
| DIN EN ISO 845<br>2009-10    | Cellular plastics and rubbers – Determination of apparent density  |
| DIN EN ISO 868<br>2003-10    | Plastics and ebonite – Determination of indentation hardness by means of a durometer (Shore hardness)                                      |
| DIN EN ISO 899-1<br>2018-03  | Plastics – Determination of creep behaviour - Part 1: Tensile creep  |
| DIN EN ISO 899-2<br>2015-06  | Plastics – Determination of creep behaviour – Part 2: Flexural creep by three-point loading  |
| DIN EN ISO 9163<br>2005-07   | Textile glass – Rovings – Manufacture of test specimens and determination of tensile strength of impregnated rovings                       |
| ISO 10119<br>2020-06         | Carbon fibre – Determination of density  |
| ISO 11359-1<br>2014-01       | Plastics – Thermomechanical analysis (TMA) – Part 1: General principles  |

Valid from: 08.09.2025

Date of issue: 08.09.2025

**page 31 of 76**

**This document is a translation. The definitive version is the original German annex to the accreditation certificate.**

**Annex to the Accreditation Certificate D-PL-13119-02-01**

|                        |  |
|------------------------|--|
| ISO 11359-2<br>1999-10 | Plastics – Thermomechanical analysis (TMA) – Part 2: Determination of coefficient of linear thermal expansion and glass transition temperature                           |
| ISO 13003<br>2003-12   | Fibre-reinforced plastics – Determination of fatigue properties under cyclic loading conditions  |
| ISO 15024<br>2001-12   | Fibre-reinforced plastic composites – Determination of Mode I interlaminar fracture toughness, GIC, for unidirectionally reinforced materials                            |
| ISO 16012<br>2015-03   | Plastics – Determination of linear dimensions of test specimens  |
| ISO 18352<br>2009-08   | Carbon-fibre-reinforced plastics – Determination of compression-after-impact properties at a specified impact-energy level   |
| ISO 1922<br>2018-09    | Rigid cellular plastics – Determination of shear strength  |
| ISO 1926<br>2009-12    | Rigid cellular plastics – Determination of tensile properties  |
| ISO 25217<br>2009-05   | Adhesives – Determination of the mode 1 adhesive fracture energy of structural adhesive joints using double cantilever beam and tapered double cantilever beam specimens |
| ISO 3374<br>2000-06    | Reinforcement products – Mats and fabrics – Determination of mass per unit area  |
| ISO 4578<br>1997-07    | Adhesives – Determination of peel resistance of high-strength adhesive bonds – Floating-roller method  |
| ISO 4587<br>2003-03    | Adhesives – Determination of tensile lap-shear strength of rigid-to-rigid bonded assemblies  |
| ISO 6721-5<br>2019-04  | Plastics – Determination of dynamic mechanical properties – Part 5: Flexural vibration - Non-resonance method  |

Valid from: 08.09.2025

Date of issue: 08.09.2025

**page 32 of 76**

**This document is a translation. The definitive version is the original German annex to the accreditation certificate.**



**Annex to the Accreditation Certificate D-PL-13119-02-01**

|                        |   |
|------------------------|---|
| AITM 1-0002<br>1998-11 | AITM Airbus Test Method – Fibre Reinforced Plastics Determination of in-plane shear properties ( $\pm 45^\circ$ tensile test)     |
| AITM 1-0003<br>2018-08 | Determination of the glass transition temperatures  |
| AITM 1-0005<br>2015-10 | Determination of mode I fracture toughness energy   |
| AITM 1-0007<br>2016-03 | AITM Airbus Test Method – Fibre Reinforced Plastics – Determination of Plain, Open Hole and Filled Hole Tensile Strength          |
| AITM 1-0008<br>2015-03 | AITM Airbus Test Method – Fibre Reinforced Plastics   |
| AITM 1-0009<br>2013-07 | AITM Airbus Test Method – Fibre Reinforced Plastics Determination of Bearing Strength by either Pin or Bolt Bearing Configuration |
| AITM 1-0010<br>2005-10 | Determination of Compression Strength After Impact  |
| AITM 1-0018<br>2003-12 | AITM Airbus Test Method – Fibre Reinforced Plastics Sandwich flexural test 4-point bending  |
| AITM 1-0019<br>2015-06 | AITM Airbus Test Method Determination of tensile lap shear strength of Composite Joints   |
| AITM 1-0025<br>1994-10 | AITM Airbus Test Method – Fibre Reinforced Plastics Flatwise tensile test of composite sandwich panel                             |
| AITM 1-0053<br>2015-11 | Determination of mode I fracture toughness energy of bonded joints (G1C Test)   |
| AITM 1-0065<br>2014-01 | Fiber reinforced plastics Determination of joint strength of mechanically fastened joints   |
| AITM 1-0069<br>2011-12 | Fibre Reinforced Plastics – Determination of curved-beam failure load   |

Valid from: 08.09.2025

Date of issue: 08.09.2025

**page 33 of 76**

**This document is a translation. The definitive version is the original German annex to the accreditation certificate.**

**Annex to the Accreditation Certificate D-PL-13119-02-01**

|                          |  |
|--------------------------|--|
| AITM 3-0002<br>1995-06   | AITM Airbus Test Method – Analysis of non metallic materials (uncured) by Differential scanning calorimetry                                  |
| AITM 3-0008<br>1995-06   | AITM Airbus Test Method – Determination of the extent of cure by Differential scanning calorimetry   |
| PR 526<br>2013-12        | Tensile test on 45° laminates to determine the stress/shear deformation curve of the shear modulus in the laminate plane to DIN EN ISO 14129 |
| PR 528<br>2016-04        | Specimen manufacturing of composites for the determination of mechanical parameters and quality control                                      |
| PR 544<br>2013-09        | Determination of the bending properties of composite materials using the three and four-point bending method                                 |
| PR 545<br>2013-12        | Tensile test on unidirectionally reinforced laminates parallel to the fiber direction  |
| PR 546<br>2013-12        | Tensile test on unidirectionally reinforced laminates perpendicular to the fiber direction   |
| DNVGL-CP-0431<br>2015-12 | Prepeg materials – Non-metallic materials  |
| SACMA 1R-94<br>1994      | Compressive Properties of Oriented Fiber-Resin Composites  |
| SACMA 18R-94<br>1994     | Glass Transition Temperature (Tg) Determination of oriented fiber-resin Composites   |

**5 Mechanical-technological, analytical and physical tests on pipe systems and their components and materials [Flex C] (D1, D2)**

| Test type   | Measurand/test parameter                                    | Characteristic test methods   |
|---|---|---|
| Internal pressure resistance  | Pressure<br>Temperature                                     | DIN EN ISO 1167<br>DIN EN 1447<br>API 15S   |
| Thermal cycling test  | Pressure<br>Temperature<br>Flow rate                        | DVGW W 534<br>DIN EN ISO 19892<br>SKZ HR 3.39   |
| Pressure cycling  | Pressure  | DVGW W 534<br>DIN EN ISO 19892<br>API 15S   |
| Vibration resistance  | Pressure  | DVGW W 534  |
| Vacuum test   | Pressure  | DVGW W 534<br>DIN EN ISO 13056<br>DIN EN ISO 3459<br>API 15S  |
| Bending fatigue strength  | Pressure  | DVGW W 534  |
| Bending resistance  | Pressure  | DVGW W 534<br>DIN EN ISO 3503   |
| Forced leakage  | Pressure  | DVGW W 534  |
| Flow resistance   | Pressure differential<br>- static<br>- dynamic<br>Flow rate | DVGW W 575<br>DIN EN 1267   |
| Long term tensile test<br>Shear strength<br>Langzeit- Long term bend test<br>Tensile strength | Load<br>Displacement<br>Time<br>Temperature                 | DIN EN ISO 899-1<br>DIN EN ISO 899-2<br>DIN EN ISO 6259-1<br>DIN EN ISO 6259-2<br>DIN EN ISO 6259-3<br>ISO 8513<br>ISO 8521<br>DVS 2203-4 |
| Resistance to pull-out  | Load<br>Temperature   | DIN EN ISO 3501<br>DVS 2203-1   |
| Stress cracking test  | Displacement  | DIN EN ISO 13479<br>ISO 13480<br>DVS 2203-4   |

Valid from: 08.09.2025

Date of issue: 08.09.2025

page 35 of 76

This document is a translation. The definitive version is the original German annex to the accreditation certificate.

**Annex to the Accreditation Certificate D-PL-13119-02-01**

| Test type   | Measurand/test parameter | Characteristic test methods  |
|---|--------------------------|--|
| Long term ring rigidity (Ring stiffness)  | Displacement             | DIN EN ISO 9967<br>DIN EN ISO 9969<br>ISO 7685<br>ISO 10466<br>SKZ HR 3.39 |
| Warm storage / Aging  | Temperature              | DIN EN ISO 21003-2<br>DIN EN ISO 2578<br>API 15S                           |
| Falling weight test   | Mass<br>Displacement     | DIN EN ISO 3127<br>DIN EN ISO 11173  |
| Impact test<br>Notch impact test  | Impact energy            | DIN EN ISO 179-1<br>API 17J  |
| Thermal conductivity  | Temperature              | DIN EN 253<br>API 17J<br>DIN EN 12667                                      |
|   | electrical power         |  |
| Emission measurement<br>(Determination of volatile organic hydrocarbon compounds) | Concentration            | BMW GS 97014<br>Porsche PPV 4050<br>Porsche PPV 4051                       |
| Leak test   | Concentration            | BMW GS 97014<br>Porsche PPV 4050<br>Porsche PPV 4051                       |
|   | Druck                    |  |
| Cell structure,<br>Open cellular structure  | Volume                   | DIN EN 253   |
| Longitudinal reversion<br>(shrinkage)   | Temperature              | DIN EN ISO 2505<br>SKZ HR 3.12   |
| Melt mass flow rate   | MFR                      | DIN EN ISO 1133-1<br>DIN EN ISO 1133-2<br>SKZ HR 3.12                      |
| Degree of cross linking   | Degree of cross linking  | DIN EN ISO 10147<br>SKZ HR 3.2   |

**Characteristic test methods, belonging to the above-mentioned test types**

API 15S                                      Spoolable Reinforced Plastic Line Pipe  
 2019-10

API 17J                                      Specification for Unbonded Flexible Pipe  
 2017-10

Valid from:                      08.09.2025  
 Date of issue:                   08.09.2025

**Annex to the Accreditation Certificate D-PL-13119-02-01**

|                       |   |
|-----------------------|---|
| ASTM D1598<br>2015-12 | Standard Test Method for Time-to-Failure of Plastic Pipe Under Constant Internal Pressure   |
| ASTM D1599<br>2018-11 | Standard Test Method for Resistance to Short-Time Hydraulic Pressure of Plastic Pipe, Tubing and Fitting  |
| ASTM D2105<br>2019-12 | Standard Test Method for Longitudinal Tensile Properties of "Fiberglass" (Glass-Fiber-Reinforced Thermosetting-Resin) Pipe and Tube                   |
| ASTM D2143<br>2015-05 | Standard Test Method for Cyclic Pressure Strength of Reinforced, Thermosetting Plastic Pipe   |
| ASTM D2290<br>2019-09 | Standard Test Method for Apparent Hoop Tensile Strength of Plastic or Reinforced Plastic Pipe   |
| ASTM D2412<br>2021-02 | Standard Test Method for Determination of External Loading Characteristics of Plastic Pipe by Parallel-Plate Loading                                  |
| ASTM D2837<br>2021-02 | Standard Test Method for Obtaining Hydrostatic Design Basis for Thermoplastic Pipe Materials or Pressure Design Basis for Thermoplastic Pipe Products |
| ASTM D2924<br>2017-09 | Standard Test Method for External Pressure Resistance of "Fiberglass" (Glass-Fiber-Reinforced Thermosetting-Resin) Pipe                               |
| ASTM D2992<br>2018-06 | Standard Practice for Obtaining Hydrostatic or Pressure Design Basis for "Fiberglass" (Glass-Fiber-Reinforced Thermosetting-Resin) Pipe and Fittings  |
| ASTM D3262<br>2020-03 | Standard Specification for "Fiberglass" (Glass-Fiber-Reinforced Thermosetting-Resin) Sewer Pipe   |
| ASTM D3517<br>2019-08 | Standard Specification for "Fiberglass" (Glass-Fiber-Reinforced Thermosetting-Resin) Pressure Pipe  |
| ASTM D3681<br>2018-08 | Standard Test Method for Chemical Resistance of "Fiberglass" (Glass – Fiber – Reinforced Thermosetting-Resin) Pipe in a Deflected Condition           |
| ASTM D3754<br>2019-12 | Standard Specification for "Fiberglass" (Glass-Fiber-Reinforced Thermosetting-Resin) Sewer and Industrial Pressure Pipe                               |
| ASTM D5365<br>2018-08 | Standard Test Method for Long-Term Ring-Bending Strain of "Fiberglass" (Glass-Fiber-Reinforced Thermosetting-Resin) Pipe                              |

Valid from: 08.09.2025

Date of issue: 08.09.2025

**page 37 of 76**

**This document is a translation. The definitive version is the original German annex to the accreditation certificate.**

**Annex to the Accreditation Certificate D-PL-13119-02-01**

|                        |   |
|------------------------|---|
| ASTM F2262<br>2019-12  | Standard Specification for Crosslinked Polyethylene/Aluminum/<br>Crosslinked Polyethylene Tubing OD Controlled SDR9   |
| ASTM F876<br>2021-01   | Standard Specification for Crosslinked Polyethylene (PEX) Tubing  |
| ASTM F877<br>2020-02   | Standard Specification for Crosslinked Polyethylene (PEX) Hot- and<br>Cold-Water Distribution Systems   |
| DBS 918 064<br>2013-12 | Plastic pipes and plastic manholes for draining railway systems   |
| DIN 3227<br>2008-04    | Valves for potable water supply in buildings – Angle service valves -<br>Requirements and test  |
| DIN 3266<br>2018-03    | Valves for drinking water installations on private premises - Anti-<br>vacuum valves, types D and E   |
| DIN 3387-1<br>2008-11  | Separable unthreaded pipe connections for metal gas pipes – Part 1:<br>Connections for pipes with smooth ends   |
| DIN 3509<br>2010-06    | Valves for potable water supply in buildings – Draw-off taps (PN 10) –<br>Requirements and tests  |
| DIN 3544-1<br>1985-09  | High-density polyethylene (HDPE) valves; tapping valves;<br>requirements and test   |
| DIN 3546-1<br>2011-01  | Stop valves for domestic water supply – Part 1: General requirements<br>and tests for manually operated piston type gate valves of special<br>design, gate valves and diaphragm valves, Technical rule of the<br>DVGW |
| DIN 3553<br>2019-03    | Fittings for drinking water systems in buildings – Leakage protection<br>systems with sensors and automated shut-off devices – Detectors for<br>installation in drinking water installations – Requirements and tests |
| DIN 4262-1<br>2009-10  | Pipes and fittings for subsoil drainage of trafficked areas and<br>underground engineering – Part 1: Pipes, fittings and their joints<br>made from PVC-U, PP and PE   |
| DIN 4721<br>2014-12    | Aerospace series – Steel X4CrNiMo16-5-1 (1.4418) – Air melted and<br>electroslag remelted (ESR) – Hardened and tempered – Bar –<br>$De \leq 200 \text{ mm} - 900 \text{ MPa} \leq R_m \leq 1050 \text{ MPa}$          |

Valid from: 08.09.2025

Date of issue: 08.09.2025

**page 38 of 76**

**This document is a translation. The definitive version is the original German annex to the accreditation certificate.**

**Annex to the Accreditation Certificate D-PL-13119-02-01**

|                        |  |
|------------------------|--|
| DIN 4724<br>2020-11    | Plastic piping systems for warm water floor heating systems and radiator pipe connecting – Crosslinked polyethylene of medium density (PE-MDX)                         |
| DIN 4726<br>2017-10    | Warm water surface heating systems and radiator connecting systems – Plastics piping systems and multilayer piping systems   |
| DIN 8061<br>2016-05    | Unplasticized polyvinyl chloride (PVC-U) pipes – General quality requirements, testing   |
| DIN 8075<br>2018-08    | Polyethylene (PE) pipes – PE 80, PE 100 – General quality requirements, testing  |
| DIN 8076<br>2013-09    | Pressure pipelines made from thermoplastics materials – Metal and plastics compression fittings for polyethylene (PE) pipes – General quality requirements and testing |
| DIN 8078<br>2008-09    | Polypropylene (PP) pipes – PP-H, PP-B, PP-R, PP-RCT – General quality requirements and testing   |
| DIN 8079<br>2009-10    | Chlorinated polyvinyl chloride (PVC-C) pipes – Dimensions  |
| DIN 16838<br>2010-12   | Thermoplastics materials for fittings – Polyphenylene sulfone (PPSU) – General quality requirements and testing  |
| DIN 16839<br>2010-12   | Thermoplastics materials for fittings – Polysulfone (PSU) – General quality requirements and testing   |
| DIN 16840<br>2010-12   | Thermoplastics materials for fittings – Polyvinylidene fluoride (PVDF) – General quality requirements and testing  |
| DIN 16842<br>2013-05   | Polyethylene (PE) pipes – PE-HD for pressureless applications – General quality requirements, dimensions and testing   |
| DIN 16868-1<br>2016-10 | Glass fibre reinforced unsaturated polyester resin (UP-GF) pipes – Part 1: Wound, filled, dimensions   |
| DIN 16868-2<br>2016-10 | Glass fibre reinforced unsaturated polyester resin (UP-GF) pipes – Part 2: Wound, filled, general quality requirements, testing  |
| DIN 16869-1<br>2014-12 | Centrifugally cast filled glass fibre reinforced unsaturated polyester resin (UP-GF) pipes – Part 1: Dimensions  |

Valid from: 08.09.2025

Date of issue: 08.09.2025

**page 39 of 76**

**This document is a translation. The definitive version is the original German annex to the accreditation certificate.**

**Annex to the Accreditation Certificate D-PL-13119-02-01**

|                        |  |
|------------------------|--|
| DIN 16869-2<br>2014-12 | Centrifugally cast filled glass fibre reinforced unsaturated polyester resin (UP-GF) pipes – Part 2: General quality requirements, testing |
| DIN 16874<br>2018-09   | Pipes of high-density polyethylene (PE-HD) for buried telecommunication – Dimensions and technical delivery conditions                     |
| DIN 16878<br>2017-07   | Pipes and fittings of polypropylene (PP) for buried cable ducting – Dimensions and technical delivery conditions                           |
| DIN 16887<br>1990-07   | Determination of the long-term hydrostatic pressure resistance of thermoplastics pipes   |
| DIN 16892<br>2019-10   | Crosslinked polyethylene (PE-X) pipes – General quality requirements, testing; Text in German and English                                  |
| DIN 16893<br>2019-10   | Crosslinked polyethylene (PE-X) pipes – Dimensions   |
| DIN 16894<br>2011-04   | Pipes of crosslinked medium density polyethylene (PE-MDX) – General quality requirements and testing                                       |
| DIN 16961-1<br>2018-08 | Thermoplastics pipes and fittings with profiled wall and smooth pipe inside – Part 1: Classification and dimensions                        |
| DIN 16961-2<br>2018-08 | Thermoplastics pipes and fittings with profiled wall and smooth pipe inside – Part 2: Technical delivery specifications                    |
| DIN 16966-1<br>1988-11 | Glass fibre reinforced polyester resin (UP-GF) pipe fittings and joint assemblies; fittings; general quality requirements and testing      |
| DIN 16966-2<br>1982-07 | Glass fibre reinforced polyester resin (UP-GF) pipe fittings and joints; Elbows, Dimensions  |
| DIN 16966-4<br>1982-07 | Glass fibre reinforced polyester resin (UP-GF) pipe fittings and joints; Tees, Nozzles, Dimensions   |
| DIN 16966-5<br>1982-07 | Glass fibre reinforced polyester resin (UP-GF) pipe fittings and joints; Reducers, Dimensions  |
| DIN 16966-6<br>1982-07 | Glass fibre reinforced polyester resin (UP-GF) pipe fittings and joint assemblies; collars, flanges, joint rings, dimensions               |

Valid from: 08.09.2025

Date of issue: 08.09.2025

**page 40 of 76**

**This document is a translation. The definitive version is the original German annex to the accreditation certificate.**



**Annex to the Accreditation Certificate D-PL-13119-02-01**

|                          |   |
|--------------------------|---|
| DIN 16966-7<br>1995-04   | Pipe joints and their elements of glass fibre reinforced polyester resins – Part 7: Bushings, flanges, flanged and butt joints; general quality requirements and test methods                                     |
| DIN 16966-8<br>1982-07   | Glass fibre reinforced polyester resin (UP-GF) pipe fittings and joints; Laminated joints; Dimensions   |
| DIN 16968<br>2012-11     | Pipes made of Polybutene-1 (PB-1) – PB 125 – General quality requirements and testing   |
| DIN 19534-3<br>2000-07   | Pipes and fittings of unplasticized poly(vinyl chloride) (PVC-U) with ring seal socket for non pressure underground drainage and sewerage – Part 3: Quality control and installation                              |
| DIN 19537-3<br>1990-11   | Prefabricated high density polyethylene (PE-HD) manholes for use in sewerage systems; dimensions and technical delivery conditions  |
| DIN 19628<br>2007-07     | Mechanical filters for drinking water installations – Application of mechanical filters according to DIN EN 13443-1   |
| DIN 19636-100<br>2008-02 | Softeners (cation exchangers) for drinking water installation – Part 100: Requirements for application of softeners in accordance with DIN EN 14743   |
| DIN 53769-1<br>1988-11   | Testing of glass fibre reinforced plastics pipes; determination of the longitudinal shear strength of type B pipe fittings  |
| DIN EN 200<br>2008-10    | Sanitary tapware – Single taps and combination taps for water supply systems of type 1 and type 2 – General technical specification   |
| DIN EN 253<br>2020-03    | District heating pipes – Bonded single pipe systems for directly buried hot water networks – Factory made pipe assembly of steel service pipe, polyurethane thermal insulation and a casing of polyethylene       |
| DIN EN 448<br>2020-03    | District heating pipes – Bonded single pipe systems for directly buried hot water networks – Factory made fitting assemblies of steel service pipes, polyurethane thermal insulation and a casing of polyethylene |
| DIN EN 476<br>2011-04    | General requirements for components used in drains and sewers   |

Valid from: 08.09.2025

Date of issue: 08.09.2025

**page 41 of 76**

**This document is a translation. The definitive version is the original German annex to the accreditation certificate.**

**Annex to the Accreditation Certificate D-PL-13119-02-01**

|                          |   |
|--------------------------|---|
| DIN EN 488<br>2020-03    | District heating pipes – Bonded single pipe systems for directly buried hot water networks – Factory made steel valve assembly for steel service pipes, polyurethane thermal insulation and a casing of polyethylene                      |
| DIN EN 489<br>2009-07    | District heating pipes – Preinsulated bonded pipe systems for directly buried hot water networks – Joint assembly for steel service pipes, polyurethane thermal insulation and outer casing of polyethylene                               |
| DIN EN 489-1<br>2020-03  | District heating pipes – Bonded single and twin pipe systems for buried hot water networks – Part 1: Joint casing assemblies and thermal insulation for hot water networks in accordance with EN 13941-1                                  |
| DIN EN 816<br>2017-10    | Sanitary tapware – Automatic shut-off valves PN 10  |
| DIN EN 817<br>2008-09    | Sanitary tapware – Mechanical mixing valves (PN 10) – General technical specifications  |
| DIN EN 1074-1<br>2000-07 | Valves for water supply – Fitness for purpose requirements and appropriate verification tests – Part 1: General requirements  |
| DIN EN 1074-2<br>2004-07 | Valves for water supply – Fitness for purpose requirements and appropriate verification tests – Part 2: Isolating valves  |
| DIN EN 1074-3<br>2000-07 | Valves for water supply – Fitness for purpose requirements and appropriate verification tests – Part 3: Check valves  |
| DIN EN 1119<br>2009-07   | Plastics piping systems – Joints for glass-reinforced thermosetting plastics (GRP) pipes and fittings – Test methods for leaktightness and resistance to damage of non-thrust resistant flexible joints with elastomeric sealing elements |
| DIN EN 1111<br>2017-10   | Sanitary tapware – Thermostatic mixing valves (PN 10) – General technical specification;  |
| DIN EN 1112<br>2008-06   | Sanitary tapware – Shower outlets for sanitary tapware for water supply systems of type 1 and type 2 – General technical specification  |

Valid from: 08.09.2025

Date of issue: 08.09.2025

**page 42 of 76**

**This document is a translation. The definitive version is the original German annex to the accreditation certificate.**

**Annex to the Accreditation Certificate D-PL-13119-02-01**

|                           |   |
|---------------------------|---|
| DIN EN 1113<br>2015-06    | Sanitary tapware – Shower hoses for sanitary tapware for water supply systems of type 1 and type 2 – General technical specification  |
| DIN EN 1120<br>1996-07    | Plastics piping systems – Glass-reinforced thermosetting plastics (GRP) pipes and fittings – Determination of the resistance to chemical attack from the inside of a section in a deflected condition |
| DIN EN 1213<br>1999-12    | Building valves – Copper alloy stopvalves for potable water supply in buildings – Tests and requirements  |
| DIN EN 1228<br>1996-08    | Plastics piping systems – Glass-reinforced thermosetting plastics (GRP) pipes – Determination of initial specific ring stiffness  |
| DIN EN 1254-1<br>2021-10  | Copper and copper alloys – Plumbing fittings – Part 1: Capillary fittings for soldering or brazing to copper tubes  |
| DIN EN 1254-2<br>2021-10  | Copper and copper alloys – Plumbing fittings – Part 2: Compression fittings for use with copper tubes   |
| DIN EN 1254-3<br>2021-07  | Copper and copper alloys – Plumbing fittings – Part 3: Compression fittings for use with plastics and multilayer pipes  |
| DIN EN 1254-4<br>2021-10  | Copper and copper alloys – Plumbing fittings – Part 4: Threaded fittings  |
| DIN EN 1254-5<br>2021-10  | Copper and copper alloys – Plumbing fittings – Part 5: Capillary fittings with short ends for brazing to copper tubes   |
| DIN EN 1254-6<br>2021-10  | Copper and copper alloys – Plumbing fittings – Part 6: Push-fit fittings for use with metallic tubes, plastics and multilayer pipes   |
| DIN EN 1254-7<br>2021-10  | Copper and copper alloys – Plumbing fittings – Part 7: Press fittings for use with metallic tubes   |
| DIN EN 1254-8<br>2021-10  | Copper and copper alloys – Plumbing fittings – Part 8: Press fittings for use with plastics and multilayer pipes  |
| DIN EN 1254-20<br>2021-10 | Copper and copper alloys – Plumbing fittings – Part 20: Definitions, thread dimensions, test methods, reference data and supporting information   |

Valid from: 08.09.2025

Date of issue: 08.09.2025

**page 43 of 76**

**This document is a translation. The definitive version is the original German annex to the accreditation certificate.**

**Annex to the Accreditation Certificate D-PL-13119-02-01**

|                          |   |
|--------------------------|---|
| DIN EN 1267<br>2012-04   | Industrial valves – Test of flow resistance using water as test fluid   |
| DIN EN 1329-1<br>2018-05 | Plastics piping systems for soil and waste discharge (low and high temperature) within the building structure – Unplasticized poly(vinyl chloride) (PVC-U) – Part 1: Specifications for pipes, fittings and the systems |
| DIN EN 1393<br>1996-12   | Plastics piping systems – Glass-reinforced thermosetting plastics (GRP) pipes; Determination of initial longitudinal tensile properties   |
| DIN EN 1394<br>1996-12   | Plastics piping systems – Glass-reinforced thermosetting plastics (GRP) pipes – Determination of the apparent initial circumferential tensile strength  |
| DIN EN 1401-1<br>2009-07 | Plastics piping systems for non-pressure underground drainage and sewerage – Unplasticized poly(vinyl chloride) (PVC-U) – Part 1: Specifications for pipes, fittings and the system                                     |
| DIN EN 1447<br>2011-01   | Plastics piping systems – Glass-reinforced thermosetting plastics (GRP) pipes – Determination of long-term resistance to internal pressure  |
| DIN EN 1451-1<br>2018-10 | Plastics piping systems for soil and waste discharge (low and high temperature) within the building structure – Polypropylene (PP) – Part 1: Specifications for pipes, fittings and the system                          |
| DIN EN 1488<br>2000-06   | Building valves – Expansion groups – Tests and requirements;  |
| DIN EN 1491<br>2000-06   | Building valves – Expansions valves – Tests and requirements  |
| DIN EN 1555-1<br>2010-12 | Plastics piping systems for the supply of gaseous fuels – Polyethylene (PE) – Part 1: General   |
| DIN EN 1555-2<br>2010-12 | Plastics piping systems for the supply of gaseous fuels – Polyethylene (PE) – Part 2: Pipes   |
| DIN EN 1555-3<br>2013-01 | Plastics piping systems for the supply of gaseous fuels – Polyethylene (PE) – Part 3: Fittings  |

Valid from: 08.09.2025

Date of issue: 08.09.2025

**page 44 of 76**

**This document is a translation. The definitive version is the original German annex to the accreditation certificate.**

**Annex to the Accreditation Certificate D-PL-13119-02-01**

|                           |   |
|---------------------------|---|
| DIN EN 1555-4<br>2011-11  | Plastics piping systems for the supply of gaseous fuels – Polyethylene (PE) – Part 4: Valves  |
| DIN EN 1555-5<br>2010-12  | Plastics piping systems for the supply of gaseous fuels – Polyethylene (PE) – Part 5: Fitness for purpose of the system   |
| DIN EN 1519-1<br>2019-07  | Plastics piping systems for soil and waste discharge (low and high temperature) within the building structure – Polyethylene (PE) – Part 1: Requirements for pipes, fittings and the system |
| DIN EN 1567<br>2000-01    | Building valves – Water pressure reducing valves and combination water pressure reducing valves – Requirements and tests  |
| DIN EN 1717<br>2011-08    | Protection against pollution of potable water installations and general requirements of devices to prevent pollution by backflow  |
| DIN EN 1716<br>1997-03    | Plastics piping systems – Polyethylene (PE) tapping tees – Test method for impact resistance of an assembled tapping tee  |
| DIN EN 1796<br>2013-05    | Plastics piping systems for water supply with or without pressure – Glass-reinforced thermosetting plastics (GRP) based on unsaturated polyester resin (UP)                                 |
| DIN EN 1852-1<br>2018-03  | Plastics piping systems for non-pressure underground drainage and sewerage – Polypropylene (PP) – Part 1: Specifications for pipes, fittings and the system                                 |
| DIN EN 1286<br>1999-06    | Sanitary tapware – Low pressure mechanical mixing valves; general technical specification   |
| DIN EN 1287<br>2017-10    | Sanitary tapware – Low pressure thermostatic mixing valves – General technical specification  |
| DIN EN 12099<br>1997-08   | Plastics piping systems – Polyethylene piping materials and components – Determination of volatile content  |
| DIN EN 12106<br>1997-11   | Plastics piping systems – Polyethylene (PE) pipes – Test method for the resistance to internal pressure after application of squeeze-off  |
| DIN EN 12201-1<br>2011-11 | Plastics piping systems for water supply, and for drainage and sewerage under pressure – Polyethylene (PE) – Part 1: General  |

Valid from: 08.09.2025

Date of issue: 08.09.2025

**page 45 of 76**

**This document is a translation. The definitive version is the original German annex to the accreditation certificate.**

**Annex to the Accreditation Certificate D-PL-13119-02-01**

|                               |   |
|-------------------------------|---|
| DIN EN 12201-2<br>2013-12     | Plastics piping systems for water supply, and for drainage and sewerage under pressure – Polyethylene (PE) – Part 2: Pipes  |
| DIN EN 12201-3<br>2013-01     | Plastics piping systems for water supply, and for drainage and sewerage under pressure – Polyethylene (PE) – Part 3: Fittings   |
| DIN EN 12201-4<br>2012-04     | Plastics piping systems for water supply, and for drainage and sewerage under pressure – Polyethylene (PE) – Part 4: Valves   |
| DIN EN 12201-5<br>2011-11     | Plastics piping systems for water supply, and for drainage and sewerage under pressure – Polyethylene (PE) – Part 5: Fitness for purpose of the system  |
| DIN EN 12266-1<br>2012-06     | Industrial valves – Testing of metallic valves – Part 1: Pressure tests, test procedures and acceptance criteria - Mandatory requirements   |
| DIN EN 12566-3<br>2016-12     | Small wastewater treatment systems for up to 50 PT – Part 3: Packaged and/or site assembled domestic wastewater treatment plants  |
| DIN EN 12666-1<br>2011-11     | Plastics piping systems for non-pressure underground drainage and sewerage – Polyethylene (PE) – Part 1: Specifications for pipes, fittings and the system  |
| DIN CEN/TS 12666-2<br>2021-11 | Plastics piping systems for non-pressure underground drainage and sewerage – Polyethylene (PE) – Part 2: Guidance for the assessment of conformity  |
| DIN EN 12667<br>2001-05       | Thermal performance of building materials and products – Determination of thermal resistance by means of guarded hot plate and heat flow meter methods – Products of high and medium thermal resistance |
| DIN EN 12729<br>2003-02       | Devices to prevent pollution by backflow of potable water – Controllable backflow preventer with reduced pressure zone – Family B, type A   |
| DIN EN 13076<br>2004-05       | Devices to prevent pollution by backflow of potable water – Unrestricted air gap – Family A – Type A  |

Valid from: 08.09.2025

Date of issue: 08.09.2025

**page 46 of 76**

**This document is a translation. The definitive version is the original German annex to the accreditation certificate.**

**Annex to the Accreditation Certificate D-PL-13119-02-01**

|                               |   |
|-------------------------------|---|
| DIN EN 13077<br>2018-06       | Devices to prevent pollution by backflow of potable water – Air gap with non-circular overflow (unrestricted) – Family A – Type B   |
| DIN EN 13078<br>2004-02       | Devices to prevent pollution by backflow of potable water – Air gap with submerged feed incorporating air inlet plus overflow – Family A, type C  |
| DIN EN 13079<br>2003-12       | Devices to prevent pollution by backflow of potable water – Air gap with injector – Family A; Type D  |
| DIN EN 13443-1<br>2007-12     | Water conditioning equipment inside buildings – Mechanical filters - Part 1: Particle rating 80 µm to 150 µm – Requirements for performances, safety and testing  |
| DIN EN 13443-2<br>2007-10     | Water conditioning equipment inside buildings – Mechanical filters – Part 2: Particle rating 1 µm to less than 80 µm – Requirements for performance, safety and testing   |
| DIN EN 13476-1<br>2018-10     | Plastics piping systems for non-pressure underground drainage and sewerage – Structured-wall piping systems of unplasticized poly(vinyl chloride) (PVC-U), polypropylene (PP) and polyethylene (PE) – Part 1: General requirements and performance characteristics  |
| DIN EN 13476-2<br>2020-12     | Plastics piping systems for non-pressure underground drainage and sewerage – Structured-wall piping systems of unplasticized poly(vinyl chloride) (PVC-U), polypropylene (PP) and polyethylene (PE) – Part 2: Specifications for pipes and fittings with smooth internal and external surface and the system, Type A          |
| DIN EN 13476-3<br>2020-12     | Plastics piping systems for non-pressure underground drainage and sewerage – Structured-wall piping systems of unplasticized poly(vinyl chloride) (PVC-U), polypropylene (PP) and polyethylene (PE) – Part 3: Specifications for pipes and fittings with smooth internal and profiled external surface and the system, Type B |
| DIN CEN/TS 13476-4<br>2020-08 | Plastics piping systems for non-pressure underground drainage and sewerage – Structured-wall piping systems of unplasticized poly(vinyl chloride) (PVC-U), polypropylene (PP) and polyethylene (PE) – Part 4: Assessment of conformity  |

Valid from: 08.09.2025

Date of issue: 08.09.2025

**page 47 of 76**

**This document is a translation. The definitive version is the original German annex to the accreditation certificate.**

**Annex to the Accreditation Certificate D-PL-13119-02-01**

|                           |  |
|---------------------------|--|
| DIN EN 13618<br>2017-03   | Flexible hose assemblies in drinking water installations – Functional requirements and test methods  |
| DIN EN 13828<br>2003-12   | Building valves – Manually operated copper alloy and stainless steel ball valves for potable water supply in buildings – Tests and requirements  |
| DIN EN 13941-1<br>2019-12 | District heating pipes – Design and installation of thermal insulated bonded single and twin pipe systems for directly buried hot water networks – Part 1: Design  |
| DIN EN 13959<br>2005-01   | Anti-pollution check valves – DN 6 to DN 250 inclusive – Family E, type A, B, C and D  |
| DIN EN 14364<br>2013-05   | Plastics piping systems for drainage and sewerage with or without pressure – Glass-reinforced thermosetting plastics (GRP) based on unsaturated polyester resin (UP) – Specifications for pipes, fittings and joints |
| DIN EN 14367<br>2005-10   | Non controllable backflow preventer with different pressure zones – Family C, type A   |
| DIN EN 14451<br>2020-10   | Devices to prevent pollution by backflow of potable water – In-line anti-vacuum valves DN 10 to DN 50 inclusive – Family D, type A   |
| DIN EN 14452<br>2005-08   | Devices to prevent pollution by backflow of potable water – Pipe interrupter with atmospheric vent and moving element DN 10 to DN 20 – Family D, type B  |
| DIN EN 14453<br>2005-08   | Devices to prevent pollution by backflow of potable water – Pipe interrupter with permanent atmospheric vent DN 10 to DN 20 – Family D, type C   |
| DIN EN 14454<br>2005-08   | Devices to prevent pollution by backflow of potable water – Hose union backflow preventer DN 15 to DN 32 – Family H; type A  |
| DIN EN 14455<br>2005-08   | Devices to prevent pollution by backflow of potable water – Pressurised air inlet valves DN 15 to DN 50 – Family L, type A and type B  |
| DIN EN 14506<br>2005-08   | Devices to prevent pollution by backflow of potable water – Automatic diverter – Family H, type C  |

Valid from: 08.09.2025

Date of issue: 08.09.2025

**page 48 of 76**

**This document is a translation. The definitive version is the original German annex to the accreditation certificate.**



**Annex to the Accreditation Certificate D-PL-13119-02-01**

|                           |  |
|---------------------------|--|
| DIN EN 14622<br>2005-08   | Devices to prevent pollution by backflow of potable water – Air gap with circular overflow (restricted) – Family A, type F   |
| DIN EN 14623<br>2005-08   | Devices to prevent pollution by backflow of potable water – Air gaps with minimum circular overflow (verified by test or measurement) – Family A, type G                           |
| DIN EN 14652<br>2007-09   | Water conditioning equipment inside buildings – Membrane separation devices – Requirements for performance, safety and testing   |
| DIN EN 14743<br>2007-09   | Water conditioning equipment inside buildings – Softeners – Requirements for performance, safety and testing   |
| DIN EN 14898<br>2007-09   | Water conditioning equipment inside buildings – Active media filters – Requirements for performance, safety and testing  |
| DIN EN 15092<br>2008-09   | Building valves – Inline hot water supply tempering valves – Tests and requirements  |
| DIN EN 15096<br>2020-10   | Devices to prevent pollution by backflow of potable water – Hose Union anti-vacuum valves – DN 15 to DN 25 inclusive Family H, type B and type D – General technical specification |
| DIN EN 15632-1<br>2015-03 | District heating pipes – Pre-insulated flexible pipe systems – Part 1: Classification, general requirements and test methods   |
| DIN EN 15632-2<br>2015-03 | District heating pipes – Pre-insulated flexible pipe systems – Part 2: Bonded plastic service pipes – Requirements and test methods  |
| DIN EN 15632-3<br>2015-03 | District heating pipes – Pre-insulated flexible pipe systems – Part 3: Non bonded system with plastic service pipes – requirements and test methods                                |
| DIN EN 15632-4<br>2009-10 | District heating pipes – Pre-insulated flexible pipe systems – Part 4: Bonded system with metal service pipes - Requirements and test methods                                      |

Valid from: 08.09.2025

Date of issue: 08.09.2025

**page 49 of 76**

**This document is a translation. The definitive version is the original German annex to the accreditation certificate.**

**Annex to the Accreditation Certificate D-PL-13119-02-01**

|                              |   |
|------------------------------|---|
| DIN EN 15698-1<br>2020-04    | District heating pipes – Bonded twin pipe systems for directly buried hot water networks – Part 1: Factory made twin pipe assembly of steel service pipes, polyurethane thermal insulation and one casing of polyethylene           |
| DIN EN 15698-2<br>2020-04    | District heating pipes – Bonded twin pipe systems for directly buried hot water networks – Part 2: Factory made fitting and valve assemblies of steel service pipes, polyurethane thermal insulation and one casing of polyethylene |
| DIN EN 60730-2-8<br>2020-12  | Automatic electrical controls for household and similar use – Part 2-8: Particular requirements for electrically operated water valves, including mechanical requirements   |
| DIN EN 61770<br>2019-12      | Electric appliances connected to the water mains – Avoidance of backsiphonage and failure of hose-sets  |
| DIN EN ISO 179-1<br>2010-11  | Plastics – Determination of Charpy impact properties – Part 1: Non-instrumented impact test   |
| DIN EN ISO 899-1<br>2018-03  | Plastics – Determination of creep behaviour – Part 1: Tensile creep   |
| DIN EN ISO 899-2<br>2015-06  | Plastics – Determination of creep behaviour – Part 2: Flexural creep by three-point loading   |
| DIN EN ISO 1133-1<br>2012-03 | Plastics – Determination of the melt mass-flow rate (MFR) and melt volume-flow rate (MVR) of thermoplastics – Part 1: Standard method   |
| DIN EN ISO 1133-2<br>2012-03 | Plastics – Determination of the melt mass-flow rate (MFR) and melt volume-flow rate (MVR) of thermoplastics – Part 2: Method for materials sensitive to time-temperature history and/or moisture                                    |
| DIN EN ISO 1167-1<br>2006-05 | Thermoplastics pipes, fittings and assemblies for the conveyance of fluids – Determination of the resistance to internal pressure – Part 1: General method  |
| DIN EN ISO 1167-2<br>2006-05 | Thermoplastics pipes, fittings and assemblies for the conveyance of fluids – Determination of the resistance to internal pressure – Part 2: Preparation of pipe test pieces   |

Valid from: 08.09.2025

Date of issue: 08.09.2025

**page 50 of 76**

**This document is a translation. The definitive version is the original German annex to the accreditation certificate.**

**Annex to the Accreditation Certificate D-PL-13119-02-01**

|                              |  |
|------------------------------|--|
| DIN EN ISO 1167-3<br>2008-02 | Thermoplastics pipes, fittings and assemblies for the conveyance of fluids – Determination of the resistance to internal pressure – Part 3: Preparation of components                                  |
| DIN EN ISO 1167-4<br>2008-02 | Thermoplastics pipes, fittings and assemblies for the conveyance of fluids – Determination of the resistance to internal pressure – Part 4: Preparation of assemblies                                  |
| DIN EN ISO 1172<br>1998-12   | Textile-glass-reinforced plastics – Prepregs, moulding compounds and laminates – Determination of the textile-glass and mineral-filler content   |
| DIN EN ISO 1452-1<br>2010-04 | Plastics piping systems for water supply and for buried and above-ground drainage and sewerage under pressure – Unplasticized poly(vinyl chloride) (PVC-U) – Part 1: General                           |
| DIN EN ISO 1452-2<br>2010-04 | Plastics piping systems for water supply and for buried and above-ground drainage and sewerage under pressure – Unplasticized poly(vinyl chloride) (PVC-U) – Part 2: Pipes                             |
| DIN EN ISO 1452-3<br>2010-04 | Plastics piping systems for water supply and for buried and above-ground drainage and sewerage under pressure – Unplasticized poly(vinyl chloride) (PVC-U) – Part 3: Fittings                          |
| DIN EN ISO 1452-4<br>2010-04 | Plastics piping systems for water supply and for buried and above-ground drainage and sewerage under pressure – Unplasticized poly(vinyl chloride) (PVC-U) – Part 4: Valves                            |
| DIN EN ISO 1452-5<br>2010-04 | Plastics piping systems for water supply and for buried and above-ground drainage and sewerage under pressure – Unplasticized poly(vinyl chloride) (PVC-U) – Part 5: Fitness for purpose of the system |
| DIN EN ISO 2505<br>2005-08   | Thermoplastics pipes – Longitudinal reversion – Test methods and parameters  |
| DIN EN ISO 2578<br>1998-10   | Plastics – Determination of time-temperature limits after prolonged exposure to heat   |

Valid from: 08.09.2025

Date of issue: 08.09.2025

**page 51 of 76**

**This document is a translation. The definitive version is the original German annex to the accreditation certificate.**

**Annex to the Accreditation Certificate D-PL-13119-02-01**

|                              |  |
|------------------------------|--|
| DIN EN ISO 3126<br>2005-05   | Plastics piping systems – Plastics components – Determination of dimensions  |
| DIN EN ISO 3127<br>2018-01   | Thermoplastics pipes – Determination of resistance to external blows – Round-the-clock method  |
| DIN EN ISO 3458<br>2015-08   | Plastic piping systems – Mechanical joints between fittings and pressure pipes – Test method for leaktightness under internal pressure   |
| DIN EN ISO 3459<br>2015-06   | Plastic piping systems – Mechanical joints between fittings and pressure pipes – Test method for leaktightness under negative pressure   |
| DIN EN ISO 3501<br>2015-06   | Plastics piping systems – Mechanical joints between fittings and pressure pipes – Test method for resistance to pull-out under constant longitudinal force   |
| DIN EN ISO 3503<br>2015-06   | Plastics piping systems – Mechanical joints between fittings and pressure pipes – Test method for leaktightness under internal pressure of assemblies subjected to bending   |
| DIN EN ISO 4624<br>2016-08   | Paints and varnishes – Pull-off test for adhesion  |
| DIN EN ISO 6259-1<br>2015-08 | Thermoplastics pipes – Determination of tensile properties – Part 1: General test method   |
| DIN EN ISO 6259-2<br>2021-01 | Thermoplastics pipes – Determination of tensile properties – Part 2: Pipes made of unplasticized poly(vinyl chloride) (PVC-U), oriented unplasticized poly(vinyl chloride) (PVC-O), chlorinated poly (vinyl chloride) (PVC-C) and high-impact poly (vinyl chloride) (PVC-HI) |
| DIN EN ISO 6259-3<br>2015-11 | Thermoplastics pipes – Determination of tensile properties – Part 3: Polyolefin pipes  |
| DIN EN ISO 9080<br>2013-02   | Plastics piping and ducting systems – Determination of the long-term hydrostatic strength of thermoplastics materials in pipe form by extrapolation  |
| DIN EN ISO 9852<br>2018-01   | Unplasticized poly(vinyl chloride) (PVC-U) pipes – Dichloromethane resistance at specified temperature (DCMT) – Test method  |

Valid from: 08.09.2025

Date of issue: 08.09.2025

**page 52 of 76**

**This document is a translation. The definitive version is the original German annex to the accreditation certificate.**

**Annex to the Accreditation Certificate D-PL-13119-02-01**

|                               |   |
|-------------------------------|---|
| DIN EN ISO 9967<br>2016-07    | Thermoplastics pipes – Determination of creep ratio   |
| DIN EN ISO 9969<br>2016-06    | Thermoplastics pipes – Determination of ring stiffness  |
| DIN EN ISO 10147<br>2013-03   | Pipes and fittings made of crosslinked polyethylene (PE-X) –<br>Estimation of the degree of crosslinking by determination of the gel<br>content       |
| DIN EN ISO 11173<br>2018-02   | Thermoplastics pipes – Determination of resistance to external blows<br>– Staircase method  |
| DIN EN ISO 11296-1<br>2018-09 | Plastics piping systems for renovation of underground non-pressure<br>drainage and sewerage networks – Part 1: General                                |
| DIN EN ISO 11296-4<br>2018-09 | Plastics piping systems for renovation of underground non-pressure<br>drainage and sewerage networks – Part 4: Lining with cured-in-place<br>pipes    |
| DIN EN ISO 11297-1<br>2018-09 | Plastics piping systems for renovation of underground drainage and<br>sewerage networks under pressure – Part 1: General                              |
| DIN EN ISO 11297-4<br>2018-09 | Plastics piping systems for renovation of underground drainage and<br>sewerage networks under pressure – Part 4: Lining with cured-in-<br>place pipes |
| DIN EN ISO 13056<br>2018-12   | Plastics piping systems – Pressure systems for hot and cold water –<br>Test method for leaktightness under vacuum                                     |
| DIN EN ISO 13254<br>2018-01   | Thermoplastics piping systems for non-pressure applications – Test<br>method for watertightness   |
| DIN EN ISO 13255<br>2018-01   | Thermoplastics piping systems for soil and waste discharge inside<br>buildings – Test method for airtightness of joints                               |
| DIN EN ISO 13257<br>2019-04   | Thermoplastics piping systems for non-pressure applications – Test<br>method for resistance to elevated temperature cycling                           |
| DIN EN ISO 13259<br>2020-10   | Thermoplastics piping systems for underground non-pressure<br>applications – Test method for leaktightness of elastomeric sealing<br>ring type joints |

Valid from: 08.09.2025

Date of issue: 08.09.2025

**page 53 of 76**

**This document is a translation. The definitive version is the original German annex to the accreditation certificate.**

**Annex to the Accreditation Certificate D-PL-13119-02-01**

|                               |   |
|-------------------------------|---|
| DIN EN ISO 13260<br>2018-01   | Thermoplastics piping systems for non-pressure underground drainage and sewerage – Test method for resistance to combined temperature cycling and external loading                        |
| DIN EN ISO 13262<br>2018-01   | Thermoplastics piping systems for non-pressure underground drainage and sewerage – Thermoplastics spirally-formed structured-wall pipes – Determination of the tensile strength of a seam |
| DIN EN ISO 13263<br>2018-01   | Thermoplastics piping systems for non-pressure underground drainage and sewerage – Thermoplastics fittings – Test method for impact strength  |
| DIN EN ISO 13264<br>2018-01   | Thermoplastics piping systems for non-pressure underground drainage and sewerage – Thermoplastics fittings – Test method for mechanical strength or flexibility of fabricated fittings    |
| DIN EN ISO 13479<br>2010-01   | Polyolefin pipes for the conveyance of fluids – Determination of resistance to crack propagation – Test method for slow crack growth on notched pipes                                     |
| DIN EN ISO 13967<br>2010-04   | Thermoplastics fittings – Determination of ring stiffness   |
| DIN EN ISO 13968<br>2009-01   | Plastics piping and ducting systems – Thermoplastics pipes – Determination of ring flexibility  |
| DIN EN ISO 14125<br>2011-05   | Fibre-reinforced plastic composites – Determination of flexural properties  |
| DIN EN ISO 15874-1<br>2013-06 | Plastics piping systems for hot and cold water installations – Polypropylene (PP) – Part 1: General   |
| DIN EN ISO 15874-2<br>2018-11 | Plastics piping systems for hot and cold water installations – Polypropylene (PP) – Part 2: Pipes   |
| DIN EN ISO 15874-3<br>2018-11 | Plastics piping systems for hot and cold water installations – Polypropylene (PP) – Part 3: Fittings  |
| DIN EN ISO 15874-5<br>2018-11 | Plastics piping systems for hot and cold water installations – Polypropylene (PP) – Part 5: Fitness for purpose of the system   |
| DIN EN ISO 15875-1<br>2004-03 | Plastics piping systems for hot and cold water installations – Crosslinked polyethylene (PE-X) – Part 1: General  |

Valid from: 08.09.2025

Date of issue: 08.09.2025

**page 54 of 76**

**This document is a translation. The definitive version is the original German annex to the accreditation certificate.**

**Annex to the Accreditation Certificate D-PL-13119-02-01**

|                               |   |
|-------------------------------|---|
| DIN EN ISO 15875-2<br>2021-03 | Plastics piping systems for hot and cold water installations –<br>Crosslinked polyethylene (PE-X) – Part 2: Pipes   |
| DIN EN ISO 15875-3<br>2021-03 | Plastics piping systems for hot and cold water installations –<br>Crosslinked polyethylene (PE-X) – Part 3: Fittings  |
| DIN EN ISO 15875-5<br>2021-03 | Plastics piping systems for hot and cold water installations –<br>Crosslinked polyethylene (PE-X) – Part 5: Fitness for purpose of the<br>system                      |
| DIN EN ISO 15876-1<br>2017-06 | Plastics piping systems for hot and cold water installations –<br>Polybutene (PB) – Part 1: General   |
| DIN EN ISO 15876-2<br>2021-03 | Plastics piping systems for hot and cold water installations –<br>Polybutene (PB) – Part 2: Pipes   |
| DIN EN ISO 15876-3<br>2020-03 | Plastics piping systems for hot and cold water installations –<br>Polybutene (PB) – Part 3: Fittings  |
| DIN EN ISO 15876-5<br>2017-06 | Plastics piping systems for hot and cold water installations –<br>Polybutene (PB) – Part 5: Fitness for purpose of the system   |
| DIN EN ISO 15877-1<br>2011-03 | Plastics piping systems for hot and cold water installations –<br>Chlorinated poly(vinyl chloride) (PVC-C) – Part 1: General  |
| DIN EN ISO 15877-2<br>2021-03 | Plastics piping systems for hot and cold water installations –<br>Chlorinated poly(vinyl chloride) (PVC-C) – Part 2: Pipes  |
| DIN EN ISO 15877-3<br>2011-03 | Plastics piping systems for hot and cold water installations –<br>Chlorinated poly(vinyl chloride) (PVC-C) – Part 3: Fittings   |
| DIN EN ISO 15877-5<br>2021-03 | Plastics piping systems for hot and cold water installations –<br>Chlorinated poly(vinyl chloride) (PVC-C) – Part 5: Fitness for purpose<br>of the system             |
| DIN EN ISO 19892<br>2018-12   | Plastics piping systems – Thermoplastics pipes and fittings for hot and<br>cold water – Test method for the resistance of joints to pressure<br>cycling               |
| DIN EN ISO 19893<br>2018-12   | lastics piping systems – Thermoplastics pipes and fittings for hot and<br>cold water – Test method for the resistance of mounted assemblies<br>to temperature cycling |

Valid from: 08.09.2025

Date of issue: 08.09.2025

**page 55 of 76**

**This document is a translation. The definitive version is the original German annex to the accreditation certificate.**

**Annex to the Accreditation Certificate D-PL-13119-02-01**

|                               |   |
|-------------------------------|---|
| DIN EN ISO 21003-1<br>2008-11 | Multilayer piping systems for hot and cold water installations inside buildings – Part 1: General   |
| DIN EN ISO 21003-2<br>2011-07 | Multilayer piping systems for hot and cold water installations inside buildings – Part 2: Pipes   |
| DIN EN ISO 21003-3<br>2008-11 | Multilayer piping systems for hot and cold water installations inside buildings – Part 3: Fittings  |
| DIN EN ISO 21003-5<br>2008-11 | Multilayer piping systems for hot and cold water installations inside buildings – Part 5: Fitness for purpose of the system   |
| DIN EN ISO 22391-1<br>2010-04 | Plastics piping systems for hot and cold water installations – Polyethylene of raised temperature resistance (PE-RT) – Part 1: General  |
| DIN EN ISO 22391-2<br>2021-03 | Plastics piping systems for hot and cold water installations – Polyethylene of raised temperature resistance (PE-RT) – Part 2: Pipes  |
| DIN EN ISO 22391-3<br>2021-03 | Plastics piping systems for hot and cold water installations – Polyethylene of raised temperature resistance (PE-RT) – Part 3: Fittings   |
| DIN EN ISO 22391-5<br>2021-06 | Plastics piping systems for hot and cold water installations – Polyethylene of raised temperature resistance (PE-RT) – Part 5: Fitness for purpose of the system                                |
| DVGW VP 624<br>2005-05        | Plastic pipes made of cross-linked polyethylene (PE-X) for drinking water and gas installations – internal gas lines with an operating pressure of less than or equal to 100 m bar              |
| DVGW G 5600-1<br>2014-02      | Material transition connector made of metal for gas pipelines made of polyethylene  |
| DVGW G 5614<br>2013-12        | Permanent pipe connections for metal gas pipes – press connector  |
| DVGW G 5628<br>2016-09        | Installation systems for gas installation, consisting of multi-layer composite pipes and their connectors, with an operating pressure of less than or equal to 100 mbar, requirements and tests |

Valid from: 08.09.2025

Date of issue: 08.09.2025

**page 56 of 76**

**This document is a translation. The definitive version is the original German annex to the accreditation certificate.**



**Annex to the Accreditation Certificate D-PL-13119-02-01**

|                              |  |
|------------------------------|--|
| DVGW GW 6<br>2014-03         | Solder, transition and threaded fittings made of copper and copper alloys in gas and drinking water installations – requirements and tests   |
| DVGW GW 327<br>2011-03       | Lining of gas and water pipelines with fabric hoses to be glued in   |
| DVGW GW 335-A1<br>2003-06    | Plastics piping systems in gas and water distribution – Requirements and tests – Part A1: PVC-U pipes and fittings made from them for water distribution   |
| DVGW GW 335-A2<br>2005-11    | Plastics piping systems in gas and water distribution – Requirements and tests – Part A2: Pipes made of PE 80 and PE 100   |
| DVGW GW 335-A2-B1<br>2010-12 | Supplement 1 to DVGW worksheet GW 335-A2:2005-11: Plastic piping systems in gas and water distribution – Requirements and tests – Part A2: Pipes made of PE 80 and PE 100                                    |
| DVGW GW 335-A3<br>2003-06    | Plastic piping systems in gas and water distribution – Requirements and tests – Part A 3: Pipes made of PE-Xa  |
| DVGW GW 335-B2<br>2004-09    | Plastics piping systems in gas and water distribution – Requirements and tests – Part B2: Fittings made of PE 80 and PE 100  |
| DVGW GW 335-B3<br>2011-09    | Plastic piping systems in gas and water distribution – Part B3: Mechanical connectors made of plastics (POM, PP) for water distribution  |
| DVGW GW 335-B3-B1<br>2013-02 | Supplement 1 for connectors made of PE 100 to DVGW GW 335-B3:2011-09 Plastic piping systems in gas and water distribution – Part B3: Mechanical connectors made of plastics (POM, PP) for water distribution |
| DVGW GW 335-B3-B2<br>2013-04 | Supplement 2 for connectors made of PA GF to DVGW GW 335-B3:2011-09 plastic piping systems in gas and water distribution – Part B3: Mechanical connectors made of plastics (POM, PP) for water distribution  |
| DVGW GW 335-B4<br>2014-04    | Plastic piping systems in gas and water distribution – Part B4: Metal fittings with mechanical or push-in joints for water distribution  |
| DVGW GW 336-2<br>2010-09     | Underground fittings – Part 2: Requirements and tests  |

Valid from: 08.09.2025

Date of issue: 08.09.2025

**page 57 of 76**

**This document is a translation. The definitive version is the original German annex to the accreditation certificate.**

**Annex to the Accreditation Certificate D-PL-13119-02-01**

|                         |  |
|-------------------------|--|
| DVGW GW 541<br>2004-10  | Stainless steel pipes for gas and drinking water installation  |
| DVGW VP 549<br>2007-06  | Hoses for the temporary transport of drinking water  |
| DVGW VP 550<br>2007-06  | Hose fittings for hoses for the temporary transport of drinking water  |
| DVGW VP 615<br>1996-07  | Pressure pipes, fittings and pipe connections made of glass fiber reinforced polyester resin (UP-GF) for drinking water pipes                                    |
| DVGW VP 640<br>2003-08  | Plastic piping systems in gas and water distribution; Requirements and tests – Pipes made of PE-Xb and PE-Xc   |
| DVGW VP 652<br>2006-05  | Copper pipe with a firmly adhering plastic jacket for the drinking water installation  |
| DVGW W 330<br>2011-03   | Fabric hoses to be glued in for water pipes  |
| DVGW W 363<br>2010-06   | Shut-off fittings, non-return valves, ventilation valves and control fittings made of metal materials for drinking water supply systems - requirements and tests |
| DVGW W 421<br>2009-05   | Water meters – requirements and tests  |
| DVGW W 534<br>2015-07   | Pipe connectors and pipe connections in the drinking water installation  |
| DVGW W 542<br>2009-08   | Multi-layer composite pipes in the drinking water installation   |
| DVGW W 543<br>2005-05   | Pressure-resistant flexible hose lines for drinking water installations  |
| DVGW W 544<br>2007-05   | Plastic pipes in the drinking water installation   |
| DVGW W 554<br>2011-03   | Regulated circulation valves   |
| DVGW W 570-1<br>2013-03 | Fittings for drinking water installations – Part 1: Requirements and tests for building fittings   |

Valid from: 08.09.2025

Date of issue: 08.09.2025

**page 58 of 76**

**This document is a translation. The definitive version is the original German annex to the accreditation certificate.**

**Annex to the Accreditation Certificate D-PL-13119-02-01**

|                                     |  |
|-------------------------------------|--|
| DVGW W 570-2<br>2008-01             | Fittings for drinking water installations – Part 2: Requirements and tests for safety fittings   |
| DVGW W 570-3<br>2013-12             | Fittings in drinking water installations – building and safety fittings and/or combinations in special designs for areas of application according to DIN EN 806 and DIN EN 1717 in conjunction with DIN 1988 |
| DVGW W 574<br>2007-04               | Sanitary fittings as extraction fittings for drinking water installations  |
| DVGW W 575<br>2012-01               | Determination of resistance coefficients for fittings and connectors in the drinking water installation  |
| DVGW W 576<br>2013-08               | Thermostatic mixers – requirements and tests   |
| DVGW W 578<br>2012-02               | Combination angle valve with device connection – requirements and tests  |
| DVGW W 579<br>2015-09               | Sampling fittings in the drinking water installation   |
| DVS 2202<br>2016-08                 | Evaluation of joints made of thermoplastics on pipe parts and panels – characteristics, description, evaluation  |
| DVS 2203-1<br>Beiblatt 1<br>2010-08 | Testing of welded joints on panels and pipes made of thermoplastic materials – requirements in the tensile test – short-time tensile welding factor  |
| DVS 2203-1<br>Beiblatt 2<br>2014-05 | Testing of welded joints on panels and pipes made of thermoplastics – requirements in the tensile test (creep welding factor $f_s$ )   |
| DVS 2203-1<br>Beiblatt 3<br>2012-06 | Testing of welded joints on panels and pipes made of thermoplastic materials – requirements in technological bending tests – bending angle/bending path  |
| DVS 2203-1<br>2003-01               | Testing of welded joints on panels and pipes made of thermoplastics – test methods – requirements  |
| DVS 2203-2<br>Beiblatt 1<br>2010-08 | Testing of welded joints on panels and pipes made of thermoplastic materials – low-temperature tensile test  |

Valid from: 08.09.2025

Date of issue: 08.09.2025

**page 59 of 76**

**This document is a translation. The definitive version is the original German annex to the accreditation certificate.**

**Annex to the Accreditation Certificate D-PL-13119-02-01**

|                                     |   |
|-------------------------------------|---|
| DVS 2203-2<br>2010-08               | Testing of welded joints on panels and pipes made of thermoplastic materials – tensile test   |
| DVS 2203-3<br>2011-04               | Testing of welded joints on panels and pipes made of thermoplastics – tensile impact test   |
| DVS 2203-4<br>Beiblatt 1<br>2001-12 | Testing of welds on panels and pipes made of thermoplastics – creep test – testing of socket welds on pipes   |
| DVS 2203-4<br>Beiblatt 2<br>2016-09 | Testing of welded joints on panels and pipes made of thermoplastics – creep rupture test – testing of resistance to slow crack growth in the Full Notch Creep Test (FNCT)   |
| DVS 2203-4<br>Beiblatt 3<br>2015-03 | Testing of welded joints on panels and pipes made of thermoplastics – creep test – checking the required creep welding factor and the minimum service life of welded joints made of polyethylene (PE 80 and PE 100) |
| DVS 2203-4<br>1997-07               | Testing of welded joints on panels and pipes made of thermoplastic materials – long-term tensile test   |
| DVS 2203-5<br>1999-08               | Testing of welded joints on panels and pipes made of thermoplastic materials – Technological bending test   |
| DVS 2203-6<br>Beiblatt 1<br>2016-08 | Testing of joints made of polymeric materials – torsional shear and radial peel test for electrofusion and heating element socket welds   |
| DVS 2203-6<br>Beiblatt 2<br>2008-01 | Testing of joints made of polymer materials – Testing of adhesive joints in shear and peel tests  |
| DVS 2203-6<br>2008-01               | Testing of joints made of polymer materials – shear and peel test   |
| DVS 2207-1<br>Beiblatt 1<br>2005-12 | Welding of thermoplastics Electrofusion welding of pipes made of PE-X with pipe parts made of PE-HD   |
| DVS 2207-1<br>2015-08               | Welding of thermoplastics Heated element welding of pipes, pipe parts and panels made of PE-HD  |

Valid from: 08.09.2025

Date of issue: 08.09.2025

**page 60 of 76**

**This document is a translation. The definitive version is the original German annex to the accreditation certificate.**

**Annex to the Accreditation Certificate D-PL-13119-02-01**

|                       |  |
|-----------------------|--|
| DVS 2220<br>2011-05   | Testing of plastic laminators and adhesives, test group II - laminates and laminate and adhesive connections made of GRP (UP-GF and EP-GF)   |
| GMW15803<br>2015-04   | Performance Test for Connections Used in Charge Air Systems  |
| ISO 2591-1<br>1988-12 | Test sieving – Part 1: methods using test sieves of woven wire cloth and perforated metal plate  |
| ISO 4065<br>2018-01   | Thermoplastics pipes – Universal wall thickness table  |
| ISO 4427-2<br>2019-08 | Plastics piping systems for water supply, and for drainage and sewerage under pressure – Polyethylene (PE) – Part 2: Pipes   |
| ISO 4427-3<br>2019-08 | Plastics piping systems for water supply, and for drainage and sewerage under pressure – Polyethylene (PE) – Part 3: Fittings  |
| ISO 4437-2<br>2014-01 | Plastics piping systems for the supply of gaseous fuels – Polyethylene (PE) – Part 2: Pipes  |
| ISO 4437-3<br>2014-01 | Plastics piping systems for the supply of gaseous fuels – Polyethylene (PE) – Part 3: Fittings   |
| ISO 7432<br>2021-04   | Glass-reinforced thermosetting plastics (GRP) pipes and fittings – Test methods to prove the design of locked socket-and-spigot joints, including double-socket joints, with elastomeric seals |
| ISO 7509<br>2015-03   | Plastics piping systems – Glass-reinforced thermosetting plastics (GRP) pipes – Determination of time to failure under sustained internal pressure   |
| ISO 7685<br>2019-07   | Glass-reinforced thermosetting plastics (GRP) pipes – Determination of initial ring stiffness  |
| ISO 8483<br>2019-08   | Glass-reinforced thermosetting plastics (GRP) pipes and fittings – Test methods to prove the design of bolted flange joints  |
| ISO 8513<br>2016-02   | Plastics piping systems – Glass-reinforced thermosetting plastics (GRP) pipes – Test methods for the determination of the initial longitudinal tensile strength                                |
| ISO 8521<br>2020-07   | Glass-reinforced thermosetting plastic (GRP) pipes – Test methods for the determination of the initial circumferential tensile wall strength   |

Valid from: 08.09.2025

Date of issue: 08.09.2025

**page 61 of 76**

**This document is a translation. The definitive version is the original German annex to the accreditation certificate.**

**Annex to the Accreditation Certificate D-PL-13119-02-01**

|                                       |   |
|---------------------------------------|---|
| ISO 8533<br>2019-08                   | Glass-reinforced thermosetting plastics (GRP) pipes and fittings – Test methods to prove the design of cemented or wrapped joints   |
| ISO 9276-1<br>1998-06                 | Representation of results of particle size analysis – Part 1: Graphical representation  |
| ISO 10952<br>2021-03                  | Glass-reinforced thermosetting plastics (GRP) pipes and fittings – Determination of the resistance to chemical attack for the inside of a section in a deflected condition            |
| ISO 10466<br>1997-11                  | Plastics piping systems – Glass-reinforced thermosetting plastics (GRP) pipes – Test method to prove the resistance to initial ring deflection  |
| ISO 10467<br>2018-06                  | Plastics piping systems for pressure and non-pressure drainage and sewerage. Glass-reinforced thermosetting plastics (GRP) systems based on unsaturated polyester (UP) resin          |
| ISO 10468<br>2018-05                  | Glass-reinforced thermosetting plastics (GRP) pipes – Determination of the ring creep properties under wet or dry conditions  |
| ISO 10471<br>2018-05                  | Glass-reinforced thermosetting plastics (GRP) pipes – Determination of the long-term ultimate bending strain and the long-term ultimate relative ring deflection under wet conditions |
| ISO 10508<br>2006-03<br>AMD 1:2018-09 | Plastics piping systems for hot and cold water installations – Guidance for classification and design; Amendment 1  |
| ISO 10639<br>2017-10                  | Plastics piping systems for pressure and non-pressure water supply. Glass-reinforced thermosetting plastics (GRP) systems based on unsaturated polyester (UP) resin                   |
| ISO 10928<br>2016-12                  | Plastics piping systems – Glass-reinforced thermosetting plastics (GRP) pipes and fittings – Methods for regression analysis and their use  |
| ISO 12091<br>1995-12                  | Structured-wall thermoplastics pipes – Oven test  |
| ISO 13480<br>1997-09                  | Polyethylene pipes – Resistance to slow crack growth – Cone test method   |
| ISO 13953<br>2001-09                  | Polyethylene(PE) pipes and fittings – Determination of the tensile strength and failure mode of test pieces from a butt-fused joint   |

Valid from: 08.09.2025

Date of issue: 08.09.2025

**page 62 of 76**

**This document is a translation. The definitive version is the original German annex to the accreditation certificate.**

**Annex to the Accreditation Certificate D-PL-13119-02-01**

|                            |  |
|----------------------------|--|
| ISO 13954<br>1997-12       | Plastics pipes and fittings – Peel decohesion test for polyethylene (PE) electrofusion assemblies of nominal outside diameter greater than or equal to 90 mm                               |
| ISO 13955<br>1997-12       | Plastics pipes and fittings – Crushing decohesion test for polyethylene (PE) electrofusion assemblies  |
| ISO 13956<br>2010-10       | Plastics pipes and fittings – Decohesion test of polyethylene (PE) saddle fusion joints – Evaluation of ductility of fusion joint interface by tear test                                   |
| ISO 15306<br>2003-12       | Glass-reinforced thermosetting plastics (GRP) pipes – Determination of the resistance to cyclic internal pressure  |
| ISO 15306 AMD 1<br>2012-02 | Glass-reinforced thermosetting plastics (GRP) pipes – Determination of the resistance to cyclic internal pressure – Amendment 1  |
| ISO 16770<br>2019-09       | Plastics – Determination of environmental stress cracking (ESC) of polyethylene – Full-notch creep test (FNCT)   |
| ISO 17454<br>2006-02       | Plastics piping systems – Multilayer pipes – Test method for the adhesion of the different layers using a pulling rig  |
| ISO 17456<br>2006-09       | Plastics piping systems – Multilayer pipes – Determination of long-term strength   |
| ISO 17885<br>2015-09       | Plastics piping systems – Mechanical fittings for pressure piping systems – Specifications   |
| ISO 18553 AMD 1<br>2007-08 | Method for the assessment of the degree of pigment or carbon black dispersion in polyolefin pipes, fittings and compounds; Amendment 1   |
| ISO 18553<br>2002-03       | Method for the assessment of the degree of pigment or carbon black dispersion in polyolefin pipes, fittings and compounds  |
| ISO 21004<br>2006-11       | Plastics piping systems – Multilayer pipes and their joints, based on thermoplastics, for water supply   |
| ISO 23856<br>2021-06       | Plastics piping systems for pressure and non-pressure water supply, drainage or sewerage – Glass-reinforced thermosetting plastics (GRP) systems based on unsaturated polyester (UP) resin |

Valid from: 08.09.2025

Date of issue: 08.09.2025

**page 63 of 76**

**This document is a translation. The definitive version is the original German annex to the accreditation certificate.**

**Annex to the Accreditation Certificate D-PL-13119-02-01**

|                              |  |
|------------------------------|--|
| NSF/ANSI 14<br>2020          | Plastics Piping System Components and Related Materials  |
| ÖNORM B 5165<br>2016-08      | Piping systems for hydropower plants – Pipes, joints and fittings made of glass-reinforced thermosetting plastics (GRP) based on unsaturated polyester resin (UP)  |
| ÖNORM B 5161<br>2017-05      | Plastics piping systems for water supply and for drainage and sewerage with or without pressure - Pipes, joints and fittings made of glass-reinforced thermosetting plastics (GRP) based on unsaturated polyester resin (UP) |
| ÖVGW QS-G392/1<br>2015-10    | Gas pipe systems made of polyethylene PE 80, PE 100 and PE 100-RC, Part 1: Materials; Requirements and tests for the award of the ÖVGW quality mark  |
| ÖVGW QS-G 392/2<br>2020-11   | Gas pipe systems made of polyethylene PE 80, PE 100 and PE 100-RC, Part 2: Pipes, requirements and tests for the award of the ÖVGW quality mark  |
| ÖVGW QS-G 392/3<br>2019-07   | Gas pipe systems made of polyethylene PE 80, PE 100 and PE 100-RC, part 3: fittings; Requirements and tests for the award of the ÖVGW quality mark   |
| ÖVGW QS-W405/1<br>2018-01    | Pipeline systems made of polyethylene PE 100-RC for non-conventional laying techniques in the drinking water supply Part 1: Pipes made of polyethylene PE 100-RC (Resistance to crack)                                       |
| ÖVGW QS-W406/1<br>2016-02    | Polyethylene piping systems (PE 40, PE 80 and PE 100) for drinking water supply Part 1: Polyethylene pipes   |
| ÖVGW QS-W406/2<br>2016-07    | Pipeline systems made of polyethylene (PE 40, PE 80 and PE 100) for drinking water supply Part 2: PE fittings and non-positive connections for polyethylene pipes  |
| ÖVGW/GRIS QS-W407<br>2019-11 | Pipes, fittings, jacking pipes and pipe connections made of GF-UP for drinking water supply  |
| R 592 0212-2<br>2015-05      | Q+ Swiss quality<br>Drainage systems – Part 2: Flexible pipes and fittings   |

Valid from: 08.09.2025

Date of issue: 08.09.2025

**page 64 of 76**

**This document is a translation. The definitive version is the original German annex to the accreditation certificate.**



**Annex to the Accreditation Certificate D-PL-13119-02-01**

|                         |  |
|-------------------------|--|
| SVGW ZW 101<br>2020-11  | General Terms and Conditions SVGW Certification Body Water   |
| SVGW ZW 106<br>2020-01  | Apparatus connection and corner shut-off valves  |
| SVGW ZW 110<br>2019-01  | shut-off valves  |
| SVGW ZW 125<br>2021-01  | Drinking water distribution systems with pipes made of PE-X  |
| SVGW ZW 129<br>2021-01  | Drinking water distribution systems with pipes made of PB  |
| SVGW ZW 142<br>2020-07  | Drinking water distribution systems with multi-layer composite pipes                                 |
| SVGW ZW 148<br>2020-07  | Metal connectors for threaded connections  |
| VDA 230-207<br>2013-034 | Resistance to corrosion of metallic materials – Material and surface technology investigation method |
| TCS 1111.1<br>1993-09   | Test Code Sheet: Closure   |
| TCS 1112.1<br>1993-07   | Test Code Sheet: Porosity  |
| TCS 1112.4<br>1990-01   | Test Code Sheet: Porosity  |
| TCS 1112.5<br>1990-01   | Test Code Sheet: Porosity  |
| TCS 1112.6<br>1998-03   | Test Code Sheet: Porosity  |
| TCS 1113.1<br>1993-10   | Test Code Sheet: Joint effectiveness   |
| TCS 1113.2<br>1990-01   | Test Code Sheet: Joint effectiveness   |

Valid from: 08.09.2025

Date of issue: 08.09.2025

**page 65 of 76**

**This document is a translation. The definitive version is the original German annex to the accreditation certificate.**

**Annex to the Accreditation Certificate D-PL-13119-02-01**

|                        |   |
|------------------------|---|
| TCS 1212.3<br>1993-07  | Test Code Sheet: Accelerated ageing   |
| TCS 1212.5<br>1995-06  | Test Code Sheet: Accelerated ageing   |
| TCS 1212.6<br>2000-01  | Test Code Sheet: Accelerated ageing   |
| TCS 1212.10<br>2000-01 | Test Code Sheet: Accelerated ageing   |
| TCS 1312.2<br>1990-01  | Test Code Sheet: Deformation  |
| TCS 1312.9<br>1990-01  | Test Code Sheet: Deformation  |
| TCS 1314.1<br>1996-05  | Test Code Sheet: Tension – (Resistance to pull-out of assembled joints – single pull)   |
| TCS 1314.7<br>1994-08  | Test Code Sheet: Tension – (Resistance to pull-out of assembled joints – single pull)   |
| TCS 1314.8<br>1994-08  | Test Code Sheet: Tension – (Resistance to pull-out of assembled joints – multiple pull) |
| TCS 1314.9<br>1994-08  | Test Code Sheet: Tension – (Resistance to pull-out of assembled joints – single pull)   |
| TCS 1314.10<br>1994-08 | Test Code Sheet: Tension – (Resistance to pull-out of assembled joints – single pull)   |
| TCS 1314.11<br>1994-08 | Test Code Sheet: Tension – (Resistance to pull-out of assembled joints – single pull)   |
| TCS 1314.12<br>1994-08 | Test Code Sheet: Tension – (Resistance to pull-out of assembled joints – single pull)   |
| TCS 1314.13<br>1994-08 | Test Code Sheet: Tension – (Resistance to pull-out of assembled joints - single pull)   |
| TCS 1314.14<br>1995-05 | Test Code Sheet: Tension - (Resistance to pull-out of assembled joints – single pull)   |

Valid from: 08.09.2025

Date of issue: 08.09.2025

**page 66 of 76**

**This document is a translation. The definitive version is the original German annex to the accreditation certificate.**

**Annex to the Accreditation Certificate D-PL-13119-02-01**

|                                 |   |
|---------------------------------|---|
| TCS 1314.15<br>2000-01          | Test Code Sheet: Tension – (Resistance to pull-out of assembled joints – single pull)   |
| TCS 1315.2<br>1994-07           | Test Code Sheet: Torque – Connection and Disconnection  |
| TCS 1412.1<br>1998-03           | Test Code Sheet: Corrosion protection   |
| TCS 1611.5<br>1994-04           | Test Code Sheet: Means for connection and disconnection   |
| TCS 2211.2<br>1990-01           | Test Code Sheet: Contamination – vacuum when submerged  |
| TCS 4001.13<br>2012-05          | Test Code Sheet: Fittings for use with metal pipe and fittings for use with plastic pipe – Tension – Resistance to pull-out of assembled joint – Single pull  |
| TCS 5011.1<br>1998-10           | Test Code Sheet: Measurement of linear dimensions   |
| TCS 6001.1<br>2000-07           | Test Code Sheet: Marking for identification   |
| KIWA BRL 5602<br>2016-10        | Plastics piping systems of PE-RT intended for underfloor heating  |
| KIWA BRL 5603<br>2016-10        | Plastics piping systems of PE-X intended for underfloor heating   |
| KIWA BRL 5610<br>2016-10        | Plastic piping systems of PE-X/AL intended for heating installations: radiator connections  |
| KIWA BRL 5611<br>2016-10        | Plastic piping systems of PE-RT/AL intended for heating installations: radiator connections   |
| KIWA BRL K17605<br>2016-10      | Evaluation guideline for the Kiwa technical approval with product certificate for plastics piping systems for water supply with or without pressure – Glass-reinforced thermosetting plastics (GRP) based on unsaturated polyester resin (UP) |
| KIWA BRL K536 part B<br>2011-12 | Plastic piping systems of PP-R intended for transport of hot and cold drinking water  |

Valid from: 08.09.2025

Date of issue: 08.09.2025

**page 67 of 76**

**This document is a translation. The definitive version is the original German annex to the accreditation certificate.**

**Annex to the Accreditation Certificate D-PL-13119-02-01**

|                                 |   |
|---------------------------------|---|
| KIWA BRL K536 part C<br>2011-12 | Plastic piping systems of PB intended for transport of hot and cold drinking water  |
| KIWA BRL K536 part E<br>2011-12 | Plastic piping systems of PE-X/Al intended for transport of hot and cold drinking water   |
| KIWA BRL K536 part G<br>2011-12 | Plastic piping systems of PE-RT/Al intended for transport of hot and cold drinking water  |
| KIWA KOMO BRL 52204<br>2016-12  | Evaluation guideline for the KOMO® quality declaration for Plastics piping systems for draining and sewerage with or without pressure – Glass-reinforced thermosetting plastics (GRP) based on unsaturated polyester resin (UP) |
| SAE J1769<br>2002               | SAE Information Report – Protocol for Evaluation of Long Term Permeation – Barrier Durability on Non-Metallic Fuel Tanks  |
| SAE J2044<br>2009-08            | Quick Connect Coupling Specification for Liquid Fuel and Vapor/Emissions Systems  |
| SKZ HR 3.12<br>2019-06          | Heating pipes made of HDPE/Al/HDPE composite pipe   |
| SKZ HR 3.13<br>2018-05          | Heating pipes made of cross-linked medium-density polyethylene PE-MDX   |
| SKZ HR 3.16<br>2015-04          | Heating pipes made of polyethylene with increased temperature resistance  |
| SKZ HR 3.2<br>2015-04           | Heating pipes made of cross-linked polyethylene PE-X  |
| SKZ HR 3.26<br>2015-02          | Testing and monitoring regulations – Pipes and pipe parts made of PE 100 for geothermal probe pipe systems  |
| SKZ HR 3.3<br>2015-04           | Heating pipes made of PP-R and PP-RCT   |
| SKZ HR 3.35<br>2011-04          | Testing and monitoring regulations; Underfloor heating pipes made of polyethylene with increased temperature stability  |
| SKZ HR 3.39<br>2011-11          | Wastewater pipes and fittings made of PP within the building structure  |

Valid from: 08.09.2025

Date of issue: 08.09.2025

**page 68 of 76**

**This document is a translation. The definitive version is the original German annex to the accreditation certificate.**

**Annex to the Accreditation Certificate D-PL-13119-02-01**

|   |  |
|---|--|
| SKZ HR 3.4<br>2013-05   | PB heating pipes   |
| SKZ HR 3.42<br>2009-04  | Testing and monitoring regulations; Pressure pipes made of multi-layer composite pipes PE 80, PE 100, PE-X |
| Specification of Thüga AG for PE pipes<br>2016-10                     | Specification for gas and drinking water pipes made of polyethylene PE 100 and PE 100-RC                   |
| VW TL 820 26<br>1999-07   | Fuel filter, functional requirements   |
| VW TL 822 53<br>2008-12   | ZSB fuel lines, functional requirements  |
| VW TL 824 17<br>2004-04   | Two-component nozzle fuel tank area, functional requirements   |
| VW TL 824 75<br>2014-03   | Quick coupling in the SCR system – functional requirements   |
| DIN CERTCO ZP 7644<br>2018-10   | Certification program for threaded fittings made of stainless steel in drinking water installations        |
| DIN CERTCO ZP<br>„Plastic pipe and composite pipe systems“<br>2019-03 | Plastic pipe and composite pipe systems for hot water surface heating and radiator connections             |
| DIN CERTCO ZP<br>„Plastic pipe systems“<br>2015-03                    | Plastic pipe systems (sewers and pipes)  |
| DIN CERTCO ZP<br>„Plastic pipe systems“<br>2017-05                    | Plastic pipe systems (pressure pipes and fittings)   |
| DIN CERTCO ZP 23.6.1/8<br>2012  | Polyethylene pipes and fittings (PE 100, PE 100 RC) for geothermal energy                                  |

Valid from: 08.09.2025

Date of issue: 08.09.2025

**page 69 of 76**

**This document is a translation. The definitive version is the original German annex to the accreditation certificate.**

**6 Environmental simulation tests, mechanical vibration and shock tests and temperature and climate tests on devices, parts and components [Flex C] (D2)**

| Test type   | Measurand/test parameter                                     | Characteristic test methods  |
|---|--|--|
| Vibration and shock test with electro-dynamic shakers | Acceleration vibration                                       | DIN EN 60068-2-6   |
|   | Frequency of vibration acceleration                          | DIN EN 60068-2-27  |
|   | Acceleration shocks  | DIN EN 60068-2-64<br>DIN EN 60068-2-80<br>DIN EN 60068-2-81<br>VW 80000              |
| Climate test  | Temperature  | DIN EN 60068-2-1<br>DIN EN 60068-2-2<br>VW 80000                                     |
|   | Temperature Humidity   | DIN EN 60068-2-30<br>DIN EN 60068-2-38<br>DIN EN 60068-2-53<br>VW 80000              |
| Salt spray test                                       | Temperature Salt   | ISO 9227<br>DIN EN 60068-2-11<br>DIN EN 60068-2-52<br>DIN EN ISO 11997-1<br>VW 80000 |
| Condensation test                                     | Temperature Humidity   | DIN EN ISO 6770-2<br>VW 80000  |
| IP protection levels                                  | IP 0X 1X, 2X, 3X, 4X, 5X, 6X, X1, X2, X3, X4, X5, X6, X7, X8 | DIN EN 60529<br>VDE 0470-1<br>ISO 20653  |

**Characteristic test methods, belonging to the above-mentioned test types**

DIN EN 60068-2-1 Environmental testing – Part 2-1: Tests – Test A: Cold  
VDE 0468-2-1  
2008-01

IEC 60068-2-1 Environmental testing – Part 2-1: Tests – Test A: Cold  
2007

Valid from: 08.09.2025  
Date of issue: 08.09.2025

**Annex to the Accreditation Certificate D-PL-13119-02-01**

|   |   |
|---|---|
| DIN EN 60068-2-2<br>VDE 0468-2-2<br>2008-05   | Environmental testing – Part 2-2: Tests – Test B: Dry heat  |
| IEC 60068-2-2<br>2007                         | Environmental testing – Part 2-2: Tests – Test B: Dry heat  |
| DIN EN 60068-2-6<br>VDE 0468-2-6<br>2008-10   | Environmental testing – Part 2-6: Tests – Test Fc: Vibration (sinusoidal)   |
| IEC 60068-2-6<br>2008                         | Environmental testing – Part 2-6: Tests – Test Fc: Vibration (sinusoidal)   |
| DIN EN 60068-2-14<br>VDE 0468-2-14<br>2010-04 | Environmental testing – Part 2-14: Tests – Test N: Change of temperature (without Nc)   |
| DIN EN 60068-2-27<br>VDE 0468-2-27<br>2010-02 | Environmental testing – Part 2-27: Tests – Test Ea and guidance: Shock  |
| DIN EN 60068-2-29<br>1995-03                  | Basic environmental testing procedures – Part 2: Tests – test Eb and guidance: Bump   |
| DIN EN 60068-2-30<br>2006-06                  | Environmental testing – Part 2-30: Tests – Test Db: Damp heat, cyclic (12 h + 12 h cycle)   |
| DIN EN 60068-2-31<br>VDE 0468-2-31<br>2009-04 | Environmental testing – Part 2-31: Tests – Test Ec: Rough handling shocks, primarily for equipment-type specimens                   |
| DIN EN 60068-2-38<br>VDE 0468-2-38<br>2010-06 | Environmental testing – Part 2-38: Tests – Test Z/AD: Composite temperature/humidity cyclic test                                    |
| DIN EN 60068-2-53<br>VDE 0468-2-53<br>2011-02 | Environmental testing – Part 2-53: Tests and guidance: Combined climatic (temperature/humidity) and dynamic (vibration/shock) tests |

Valid from: 08.09.2025

Date of issue: 08.09.2025

**page 71 of 76**

**This document is a translation. The definitive version is the original German annex to the accreditation certificate.**

**Annex to the Accreditation Certificate D-PL-13119-02-01**

|   |  |
|---|--|
| DIN EN 60068-2-64<br>VDE 0468-2-64<br>2009-04           | Environmental testing – Part 2-64: Tests – Test Fh: Vibration, broadband random and guidance                                   |
| DIN EN 60068-2-78<br>VDE 0468-2-78<br>2014-02           | Environmental testing – Part 2-78: Tests – Test Cab: Damp heat, steady state   |
| DIN EN 60068-2-80<br>2006-05                            | Environmental testing – Part 2-80: Tests – Test Fi: Vibration - Mixed mode   |
| IEC 60068-2-80<br>2005                                  | Environmental testing – Part 2-80: Tests - Test Fi: Vibration – Mixed mode   |
| DIN EN 60068-2-81<br>2004-07                            | Environmental testing – Part 2-81: Tests – Test Ei: Shock – Shock response spectrum synthesis                                  |
| DIN EN 61373<br>VDE 0115-106<br>2011-04 + Ber.1 2018-01 | Railway applications – Rolling stock equipment – Shock and vibration tests   |
| DNVGL-CG-0339<br>2016                                   | Environmental test specification for electrical, electronic and programmable equipment and systems                             |
| DIN EN 60529<br>VDE 0470-1<br>Ber.2 2019-06             | Degrees of protection provided by enclosures (IP Code)   |
| ISO 20653<br>2013-02                                    | Road vehicles – Degrees of protection (IP code) – Protection of electrical equipment against foreign objects, water and access |
| DIN EN ISO 9227<br>2017-07                              | Corrosion tests in artificial atmospheres – Salt spray tests (only NSS)  |
| DIN EN 60068-2-11<br>2000-02                            | Environmental testing – Part 2: Tests; test Ka: Salt mist  |
| DIN EN IEC 60068-2-52<br>2018-08                        | Environmental testing – Part 2-52: Tests – Test Kb: Salt mist, cyclic (sodium chloride solution)                               |

Valid from: 08.09.2025

Date of issue: 08.09.2025

**page 72 of 76**

**This document is a translation. The definitive version is the original German annex to the accreditation certificate.**



**Annex to the Accreditation Certificate D-PL-13119-02-01**

|  |  |
|--|--|
| DIN EN ISO 11997-1<br>2018-01              | Paints and varnishes – Determination of resistance to cyclic corrosion conditions – Part 1: Wet (salt fog)/dry/humid   |
| DIN EN ISO 6270-2<br>2018-04               | Paints and varnishes – Determination of resistance to humidity – Part 2: Condensation (in-cabinet exposure with heated water reservoir)  |
| BMW GS 95023<br>2016-11                    | Electrical properties and electrical safety of high-voltage components in motor vehicles – requirements and tests  |
| Mercedes MBN LV 123<br>2014-03             | Electrical properties and electrical safety of high-voltage components in motor vehicles – requirements and tests  |
| Volkswagen VW 80303<br>VW 80302<br>2014-06 | Electrical properties and electrical safety of high-voltage components in motor vehicles – requirements and tests  |
| BMW GS 95024-2-1<br>2010-01                | Electrical and electronic components in motor vehicles – Electrical requirements and tests   |
| BMW GS 95024-2-2<br>2011-02                | Electrical and electronic components in motor vehicles<br>Electrical requirements and tests  |
| BMW GS 95024-3-1<br>2010-01                | Electrical and electronic components in motor vehicles up to 3.5t – general requirements, test conditions and tests  |
| Mercedes MBN LV 124-1<br>2013-03           | Electrical and electronic components in passenger cars up to 3.5t – general requirements, test conditions and tests – Part I: Electrical requirements and tests 12 V vehicle electrical system |
| Mercedes MBN LV 124-2<br>2013-08           | Electrical and electronic components in passenger cars up to 3.5t – general requirements, test conditions and tests<br>Part 2: Environmental requirements                                      |
| Volkswagen VW 80000<br>2021-07             | Electrical and electronic components in motor vehicles up to 3.5 t – General requirements, test conditions and tests   |

Valid from: 08.09.2025

Date of issue: 08.09.2025

**page 73 of 76**

**This document is a translation. The definitive version is the original German annex to the accreditation certificate.**

**Annex to the Accreditation Certificate D-PL-13119-02-01**

|   |   |
|---|---|
| Volkswagen VW 80101<br>2009-03            | Electrical and electronic components in motor vehicles up to 3.5 t – General requirements, test conditions and tests    |
| VDA 320<br>2014-08                        | Electrical and electronic components in motor vehicle 48 V electrical systems, test conditions and tests                |
| BMW GS 95026<br>2013-05                   | Electrical and electronic components in motor vehicle 48 V electrical systems, test conditions and tests                |
| Mercedes MBN LV 148<br>2013-11            | Electrical and electronic components in motor vehicle 48 V electrical systems, test conditions and tests                |
| Volkswagen VW 82148<br>2019               | Electrical and electronic components in motor vehicle 48 V electrical systems, test conditions and tests                |
| Volkswagen VW 80332<br>2019               | Automotive high-voltage contact (Not IP6K9K, IPX7 PG 50 – (high-frequency properties of a HV connector))                |
| ISO 16750-2<br>2012-11                    | Road vehicles – Environmental conditions and testing for electrical and electronic equipment – Part 2: Electrical loads |
| ISO 16750-3<br>2012-12                    | Road vehicles – Environmental conditions and testing for electrical and electronic equipment – Part 3: Mechanical loads |
| ISO 16750-4<br>2010-04                    | Road vehicles – Environmental conditions and testing for electrical and electronic equipment – Part 4: Climatic loads   |
| ISO 16750-5<br>2010-04                    | Road vehicles – Environmental conditions and testing for electrical and electronic equipment – Part 5: Chemical loads   |
| BMW GS 95006-7-1<br>2010-05               | Motor vehicle connectors – test specification   |
| Mercedes MBN 10384<br>(LV 214)<br>2010-11 | Motor vehicle connectors – test specification   |

Valid from: 08.09.2025

Date of issue: 08.09.2025

**page 74 of 76**

**This document is a translation. The definitive version is the original German annex to the accreditation certificate.**

**Annex to the Accreditation Certificate D-PL-13119-02-01**

|   |   |
|---|---|
| Volkswagen VW 75174<br>2010-04              | Motor vehicle connectors – test specification                                     |
| Porsche PTL 12100-A1005<br>2010-05          | Motor vehicle connectors – test specification                                     |
| Volkswagen VW 80302<br>(LV215-2)<br>2013-02 | High-voltage connectors in vehicles – requirements and test conditions (not dust) |
| Volkswagen VW 80304<br>(LV215-1)<br>2013-03 | Electrics/Electronics – Requirements for HV components (not dust)                 |
| Volkswagen VW 80332<br>2019-01              | High-voltage connectors in vehicles – requirements and test conditions            |

**7 Testing the noise behaviour of fittings and devices in water installations [Flex A] (D2)**

|                              |   |
|------------------------------|---|
| DIN EN ISO 3822-1<br>2009-07 | Acoustics – Laboratory tests on noise emission from appliances and equipment used in water supply installations – Part 1: Method of measurement   |
| DIN EN ISO 3822-2<br>1995-05 | Acoustics – Laboratory tests on noise emission from appliances and equipment used in water supply installations – Part 2: Mounting and operating conditions for draw-off taps and mixing valves |
| DIN EN ISO 3822-3<br>2018-04 | Acoustics – Laboratory tests on noise emission from appliances and equipment used in water supply installations – Part 3: Mounting and operating conditions for in-line valves and appliances   |
| DIN EN ISO 3822-4<br>1997-03 | Acoustics – Laboratory tests on noise emission from appliances and equipment used in water supply installations – Part 4: Mounting and operating conditions for special appliances              |

Valid from: 08.09.2025

Date of issue: 08.09.2025

**page 75 of 76**

**This document is a translation. The definitive version is the original German annex to the accreditation certificate.**

**Annex to the Accreditation Certificate D-PL-13119-02-01**

**Abbreviations used:**

|               |  |
|---------------|--|
| AENOR RP      | Asociación Española de Normalización Reglamento Particular   |
| AITM          | Airbus Industrie Test Method                                 |
| AK            | Working Group  |
| ASTM          | American Society for Testing and Materials                   |
| BRL           | Specification for evaluation                                 |
| DBS           | Deutsche Bahn Standard                                       |
| DIN           | German institute for standardization                         |
| DGZFP         | German Society for NDT                                       |
| DIN CERTCO    | Certification body of TÜV Rheinland Group                    |
| DIN CERTCO ZP | Test method of the basic certification program               |
| DMA           | Dynamic Mechanical Analysis                                  |
| DNV           | Det Norske Veritas   |
| DSC           | Differential Scanning Calorimetry                            |
| DVGW          | German Association for Gas and water                         |
| DVS           | German association for welding                               |
| EN            | European Standard  |
| GRIS          | Quality Association Tubes within housing water development   |
| GW            | Gas Water  |
| IEC           | International Electrotechnical Commission                    |
| ISO           | International Organization for Standardization               |
| KIWA          | Dutch Test Institute for drinking water articles             |
| OIT           | Oxidations-Indikationszeit Oxidationindication Time          |
| ÖNORM         | Austrian Test standards                                      |
| ÖVGW          | Austrian Standard for Gas and Water                          |
| PG            | test normative documents for gas                             |
| PW            | test normative documents for water                           |
| SKZ HR        | In-house method of the SKZ - TeConA GmbH                     |
| SVGW          | Swiss Association of Gas-Water                               |
| TPG           | technical testing centre gas                                 |
| TSI           | Technical Specification of Interoperability                  |
| UIC           | Union International des chemins de fer                       |
| VDE           | Association of electrotechnic electronic information technic |
| VDI           | Association of German Engineers                              |
| VP            | preliminary test specifications                              |
| WAG           | TSI for goods train  |

Valid from: 08.09.2025

Date of issue: 08.09.2025

**page 76 of 76**

**This document is a translation. The definitive version is the original German annex to the accreditation certificate.**